

GEO.SENNCO.DIV OF GLOBE SOLVENTS CO.INC. -- RINSING SOLUTION WATCH --
6850-00-270-9971

===== Product Identification =====

Product ID:RINSING SOLUTION WATCH

MSDS Date:01/01/1987

FSC:6850

NIIN:00-270-9971

MSDS Number: BDRVK

=== Responsible Party ===

Company Name:GEO.SENNCO.DIV OF GLOBE SOLVENTS CO.INC.

Address:2200 E WESTMORELAND ST

City:PHILADELPHIA

State:PA

ZIP:19134-3229

Country:US

Emergency Phon

e Num:NONE

CAGE:LO059

=== Contractor Identification ===

Company Name:GEO.SENNCO.DIV OF GLOBE SOLVENTS CO.INC.

Address:2200 E WESTMORELAND ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-3229

Country:US

CAGE:LO059

Company Name:SENN GEORGE INC

Address:2200 E WESTMORELAND ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-3229

Country:US

CAGE:86944

===== Composition/Information on Ingredients =====

Ingred Name:AROMATIC HYDROCARBONS

Fraction by Wt: 100%

ACGIH TLV:100PPM(MFR)

=====

=====
Hazards Identification
=====

Effects of Overexposure:SEVERE EYE IRR;DRYING OF SKIN;EXCESSIVE
INH.CAUSE HEADACHE,DIZZINESS AND NAUSEA.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH W.WATER;SKIN:WASH W.MILD SOAP & WTR & APPLY SKIN
CREAM;INH:REMOVE TO FRESH AIR,APPLY ARTIFICIAL RESP.IF
NECESSARY.SEEK MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point:85F,29C,TCC

Ex
tinguishing Media:CO*2, FOAM, DRY CHEM.WATER SPRAY
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SM SPL: TAKE UP WITH SAND, OR OTHER NONCOMB.
ABSORB MATL THEN FLUSH AREA WITH H*20. SM DRY SPL: SHOVEL INTO DRY
CONTRS, THEN FLUSH AREA W/H*20.LG SPLS:DIKE FAR AHEAD OF SPL FOR
LATER DISPOSAL. NO CONT ACT W/SPILLED MATL. STOP LK.ELIM IGN
SOURCES.

=====
Ha
ndling and Storage
=====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE
RISK AREA. PROTECT FROM HEAT,SHOCK,FRICITION. KEEP CONTAINERS
CLOSED.

Other Precautions:AVOID PROLONGED OR REPEATED CONTACT W.SKIN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH APPVD RESP IF TLV IS EXCEEDED
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES
Other Prot

ective Equipment:SAFETY SHOWER & EYE BATH
Supplemental Safety and Health
UNDATED MSDS/

===== Physical/Chemical Properties =====

HCC:F3
Boiling Pt:=140.C, 284.F
Vapor Pres:6
Vapor Density:3.7
Spec Gravity:0.87
Evaporation Rate & Reference:0.7(BU AC=1)
Solubility in Water:NEGL
Appearance and Odor:CLEAR LIQ,AROMATIC ODOR
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
S
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAME & FIRE.
Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO*2, H*2O.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF
IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL,STATE & FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by
elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.