

OCTAGON PROCESS,INC. -- SODIUM DICHROMATE TECHNICAL -- 6810-00-281-2686

=====
Product Identification
=====

Product ID:SODIUM DICHROMATE TECHNICAL

MSDS Date:01/01/1985

FSC:6810

NIIN:00-281-2686

MSDS Number: BDSSZ

=== Responsible Party ===

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-9400

Emergency Phone Num:201-945

-9400

CAGE:DO973

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

Company Name:OCTAGON PROCESS,INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Phone:201-945-9400

CAGE:DO973

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM BICHROMATE (SARA III)

CAS:10588-01-9

RTECS #:HX7700000

Fraction by Wt: 86.6%

OSHA PEL

:0.1 PPM CRO3;CEILING
ACGIH TLV:0.05 MG CR/M3; 9192
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Hazards Identification
=====

Effects of Overexposure:IRRIGATE SKIN,ULCERS,IRRITATE
EYES,CONJUNCTIVITIS.INHALATION WILL IRRITATE,ULCERATE MUCOUS
MEMBRANES

=====
First Aid Measures
=====

First Aid:IN CASE OF CONTACT,IMMEDIATELY FLUSH SKIN OR EYES WITH PLENTY
OF WATER FOR AT LEAST 15 MINUTES.FOR EYES OR SKIN IRRITATON
CONSULT
DOCTOR RIGHT AWAY.FOR INHALATION OR INGESTION GET IMMEDIATE MEDICAL
HE LP.IF SWALLOWED,STOMACH WASH FOLLOWED BY MILK.

=====
Fire Fighting Measures
=====

Flash Point:N.A.
Extinguishing Media:IN THE EVENT OF FIRE OUTBREAK FLOOD WITH WATER
Unusual Fire/Explosion Hazard:DECOMPOSES AT ABOUT 750F TO GIVE
OXYGEN,SODIUM CHROMATE,& CGRINUC SESQUIOXIDE.OXYGEN PROMOTE BURNING

=====
Accidental Release Measures
=====

Spill
Release Procedures:COVER WITH SEAK REDUCING AGENTS SUCH AS
HYPO,BISULFITES OR FERROUS SALTS.BISULFITES OR FERROUS SALTS NEED
ADDITIONAL PROMOTER OF SOME 3M-H*2SO*4 FOR RAPID REACTION.TRANSFER
THE SLURRY INTO LARGE CONTAINER OF WATER & NEUTRALIZE WITH SODA
ASH

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN DRY AREA & KEEP CONTAINER
CLOSED.HANDLE CONTAINER WITH CARE;KEEP AWAY FROM FLAMMABLES &
EASILY OXIDIZAB

LE SUBSTANCES. WOODEN FLOOR NOT DESIRED

Other Precautions: WEAR RUBBER GLOVES, FACE SHIELD, ENTIRE BODY SHIELD, PROTECTIVE WORK CLOTHING. HAZARDOUS REACTIONS WITH CARBIDE, AMINES, SUCH AS HYDRAZINE, SLAKED LIME, MERCURY CYANIDES, OXIDIZABLE MATERIALS, ANILINE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: RESPIRATOR APPROVED BY U.S. BUREAU OF MINES FOR CHROMATES

Ventilation: AS REQUIRED TO ELIMINATE DUSTS.

Protective Gloves: RUBBER.

Eye Protection:

CHEMICAL SAFETY GOGGLES

Other Protective Equipment: RUBBER APRON & SLEEVES, FACE SHIELD, PROTECTIVE CLOTHING, SHOES

Supplemental Safety and Health

HCC = D2 ASSIGNED BASED UPON THE FACT THAT ITEM IS AN OXIDIZER AND TOXIC, ALSO HAS ACUTE & CHRONIC HEALTH EFFECTS (SEE TABLE B-3 OF DLAI 4145.11).

===== Physical/Chemical Properties =====

HCC: D2

Boiling Pt: B.P. Text: N.A.

Spec Gravity: 2.52

Solubility in Water: APPRECIABLE

Appearance and Odor: BRIGHT ORANGE-RED CRYSTALS, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

REDUCING AGENTS, FLAMMABLES, EASILY OXIDIZABLE SUBSTANCES

Stability Condition to Avoid: TENDS TO PICKUP MOISTURE.

===== Disposal Considerations =====

Waste Disposal Methods: CHROMATES CANNOT BE DIRECTLY DISCHARGED TO STREAMS. USE VAST VOLUMES OF CONCENTRATED SOLUTION OF REDUCING AGENT (BISULFITES OR FERROUS SALTS WITH 3M-H₂SO₄ OR H

YPO.NEUTRALIZE WITH SODA ASH OR DILUTE HC L.DRAIN INTO AN APPROVED
DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
ass

sume responsibility for the suitability of this information to their
particular situation.