

UNIVAR CORP.VAN WATERS & ROGERS INC. -- SODIUM DICHROMATE -- 6810-00-281-2686

===== Product Identification =====

Product ID:SODIUM DICHROMATE

MSDS Date:07/21/1987

FSC:6810

NIIN:00-281-2686

MSDS Number: BDSTB

=== Responsible Party ===

Company Name:UNIVAR CORP.VAN WATERS & ROGERS INC.

Address:2600 CAMPUS DRIVE

Box:5932

City:SAN MATEO

State:CA

ZIP:94403-2522

Country:US

Info Phone Num:206-447-5911,DOU

GLAS EISNER,TECH.DR

Emergency Phone Num:800-424-9300

CAGE:LO120

=== Contractor Identification ===

Company Name:ALL STAR CHEMICALS

Address:17409 PORT MONARCH DRIVE

Box:City:POWAY

State:CA

ZIP:92064

Country:US

Phone:305-974-5440

CAGE:0A7B6

Company Name:CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name:UNIVAR CORP.VAN WATERS & ROGERS INC.

Address:2600 CAMPUS DRIVE

Box:5932

City:SAN MATEO

Sta

te:CA
ZIP:94403-2522
Country:US
Phone:206-447-5911,DOUGLAS EISNER,TECH.DR
CAGE:LO120
Company Name:VAN WATERS AND ROGERS
Address:2256 JUNCTION AVE
City:SAN JOSE
State:CA
ZIP:95131
Country:US
Phone:408-435-8700/800-424-9300(CHEMTREC)
CAGE:0AN91

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM DICHROMATE DIHYDRATE
CAS:7789-12-0
RTECS #:HX7750000
Fraction by Wt: 99%
OSHA PEL:C, 0.1 MG/M3 (CRO3)
ACGIH TLV:0.05 MG/M3 (CR);8990

=====
Hazards Id
entification
=====

LD50 LC50 Mixture:ORAL RAT:50MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:ACUTE:INHALATION:MAYIRRITATE NASAL
SEPTUM & RESPIRATORY TRACT;EYES:IRRITATION OF EYES,EYE INJURY
POSSIBLE;SKIN IRRITATION;INGESTION:TISSUE DESTRUCTION.
CHRONIC:ULCERATION & PERFORATION OF THE NASAL SE PTUM;EYE
DAMAGE,CHROME SORES,KIDNEY FAILURE & DEATH OR DEATH PO
SSIBLE.
Explanation of Carcinogenicity:CHROMIUM & SOME CHROM. CMPDS (CR VI)
SUSPECTED AS POTENTIAL HUMAN CARCINOGENS. SOME HAVE BEEN FOUND TO
BE MUTAGENIC.
Effects of Overexposure:EYE-DUST IRRIT;PROLONG CONTACT-POSS PERM
DAMAGE. SKIN-CONT W/BROKEN SKIN-MAY PRODUCE "CHROME SORES".
INHAL-IRRIT NASAL,RESPIR TRACT. INGEST-SEVERE TISSUE DESTRUCT
KIDNEY FAILURE MAY FOLLOW & RESULT IN DEATH.
Medical Cond Aggravated by Exposure:NONE REPORTED.

=====
First Aid Meas
=====

ures =====

First Aid:EYE-IMMED FLUSH W/WATER 15 MIN,LIFTING LIDS-GET MED ATTN.
SKIN-IMMED FLUSH W/WATER 15 MIN;REMOVE CONTAM CLOTH/SHOES-WASH
BEFORE REUSE-GET IMMEDIATE MED ATTN. INHAL-GET TO FRESH AIR;GIVE ARTFCL
RESPIR IF NEEDED;GET IMMEDIATE MED ATTN. INGEST-IF CONSC IMMEDIATELY INDUCE
VOMITING;GET IMMEDIATE MED ATTN.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WATER SPRAY,DRY CHEMICAL,CARBON DIOXIDE

Fire Fight

ing Procedures:USE SELF-CONTAINED BREATHING APPARATUS & COMPLETE
PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS &
STRUCTURES EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:OXIDIZER. AVOID CONTACT W/ORGANIC MATLS.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILLS-USE FULL FACEPIECE AIR-PURIFYING
RESPIRATOR W/PARTICULATE FILTERS. SWEEP UP & PUT IN DOT-APPROVED WASTE
CONTAINERS. LARGE SPILLS-SHOVEL INTO DOT-APPROVED WASTE CONTAINERS. KEEP OUT
OF
SEWERS,STORM DRAINS,SURFACE WATERS & SOIL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL-VENTILATED PLACE.
STORE AWAY FROM OTHER CHEMICALS & POTENTIAL SOURCES OF CONTAMINATION. KEEP
CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT USE PRESSURE TO EMPTY CONTAINER. WASH
THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES,ON SKIN,OR ON
CLOTHING. DO NOT CUT,GRIND,WELD,OR DRILL ON OR NEAR CONTAINER.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:DEPENDENT ON PARTICULATE CONCENTRATION-NIOSH APPROVED
RESPIRATOR W/FULL FACEPIECE;HALF MASK AIR-PURIFYING CARTRIDGE
RESPIRATOR W/PARTICULATE FILTERS;SELF-CONTAINED BREATHING APPARATUS IN PRESSURE
DEMAND MODE;OR,AIR SUPPLIED RESPIRATOR.

Ventilation:LOCAL MECHANICAL CAPABLE OF MAINTAINING DUST EMISSIONS
BELOW PEL.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES UNLESS FULL-FACE RESPIRATOR

Other Protective Equipment

t:LONG-SLEEVED SHIRT,TROUSERS,RUBBER APRON

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES,SKIN OR CLOTHING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:D2

Melt/Freeze Pt:M.P/F.P Text:680F

Spec Gravity:2.35

Solubility in Water:73%

Appearance and Odor:ODORLESS ORANGE,RED CRYSTALS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT

W/ORGANIC MATLS,OILS,GREASES & OXIDIZING OR REDUCING MATLS. MILD OXIDIZER IN SOLN;STRONG IN VERY ACID SOLN

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT APPROPRIATE FED,STATE & LOCAL REG AGENCIES. NOTE-EMPTY CONTNRS CAN HAVE RESIDUES, GASES & MISTS & ARE ALSO SUBJ TO PROPER WASTE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.