

SHELL CHEMICAL CO. -- VV-B-231 BENZENE -- 6810-00-281-2764

===== Product Identification =====

Product ID:VV-B-231 BENZENE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-281-2764

MSDS Number: BDSVY

=== Responsible Party ===

Company Name:SHELL CHEMICAL CO.

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-9461

CA

GE:86916

=== Contractor Identification ===

Company Name:SHELL CHEMICAL CO

Address:1 SHELL PLAZA

Box:2463

City:HOUSTON

State:TX

ZIP:77001

Country:US

CAGE:86916

Company Name:SHELL OIL COMPANY

Address:Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

===== Composition/Information on Ingredients =====

Ingred Name:BENZENE (SARA III)

CAS:71-43-2

RTECS #:CY1400000

Fraction by Wt: 100%

OSHA PEL:1PPM/5STEL;1910.1028

ACGIH TLV:10 PPM; A2; 9192

EPA Rpt Q

ty:10 LBS  
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

Effects of Overexposure:FATIGUE, NAUSEA AND HEADACHE WHICH MAY BE FOLLOWED BY CONVULSIONS, LOSS OF CONSCIOUSNESS AND DEATH.\*

===== First Aid Measures =====

First Aid:INHALE: RMV TO FRESH AIR. IF NOT BRTHG GIVE CPR. IF BRTHG DIFFICULT GIVE OXYGEN. INJEST: DO NOT INDUCE VOMITING. CONTACT: IMMED FLUSH EYES OR SKIN W/ PLENTY OF WATER. RMV CONTAM CLTH G & SHOES. CALL A PHYSICIAN

===== Fire Fighting Measures =====

Flash Point:10F,-12C TCC  
Lower Limits:1.4  
Upper Limits:7.1  
Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.  
Fire Fighting Procedures:USE H\*2O TO COOL EXPD CONTRS. USE SCBA & FULL PROT.CLTHG.  
Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER. PRODUCT WILL FLOAT & CAN BE REIGNITED ON SURFACE OF WATER

===== Accidental Release Measures =====

Spill Release Procedures:ELIM IGN SOURCES. ISOL HAZ AREA & CLEAR UNAUTHD PERS. WEARRSPTR & PROT CLTHG. SHUT OFF SCE OF LEAK IF SAFE. DIKE & CONTAIN. WATER FOG TO SUPPR VAPOR. RMV W/ VAC TRUCK OR PUMP TO STOR CNTNR. SOAK UP RE SIDUE W/ABSORB. FLUSH AREA W/ WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED.  
Other Precautions:DO NOT WELD, HEAT OR DRILL ON OR NEAR CONTAINER: EMPTIED CONTAINERS CAN CONTAIN EXPLOSIVE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)  
Ventilation:USE EXPLOSION-PROOF VENTILATION AS REQ RO CNTRL VAPORS.  
Protective Gloves:IMPERVIOUS  
Eye Protection:CHEM SPLASH GOGGLES  
Other Protective Equipment:WEAR IMPERVIOUS CLOTHING/BOOTS.  
Suppl

emental Safety and Health

MSDS DATED 20 APRIL 1982 \* PROLONGED & REPEATED EXPOSURE MAY CAUSE SERIOUS INJURY TO BLOOD FORMING ORGANS. BENZENE IS SUSPECTED OF CARCINOGENIC (LEUKEMIA) POTENTIAL IN MAN.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:175F/79.4C

Vapor Pres:167

Vapor Density:2.8

Spec Gravity:0.88

Evaporation Rate & Reference:5.1 (BUTYL ACETATE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQUID. AROMATIC HYDROCARBON ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAME & VAPOR ACCUMULATION.

Hazardous Decomposition Products:CARBON MONOXIDE & UNIDENTIFIED ORGANIC COMPS MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:USE DISPOSAL FACIL APVD UNDER RCRA REGULATIONS

FOR HAZ WASTE. USE NON-LEAKING CNTNR. SEAL TIGHT & LABEL PROPERLY. KEEP OUT OF SURFACE WATERS OR SEWERS ENTERING OR LEADING TO SURFACE WATERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizi

ng this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.