View NSN Online: https://aerobasegroup.kr/nsn/6810-00-281-2764

## MALLINCKRODT INC., SCIENCE PRODUCTS DIVISION -- BENZENE AR -- 6810-00-281-2764

============= Product Identification ========================

Product ID:BENZENE AR MSDS Date:01/01/1987

FSC:6810

NIIN:00-281-2764

MSDS Number: BDSVZ === Responsible Party ===

Company Name: MALLINCKRODT INC., SCIENCE PRODUCTS DIVISION

Address: PARIS BYPASS

Box:M City:PARIS State:KY ZIP:40361 Country:US

Info Phone Num:314-982-5000

Emergency Phone Num:

314-982-5000 CAGE:62910

=== Contractor Identification ===

Company Name: MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:908-859-2151

CAGE:62910

======= Composition/Information on Ingredients ========

Ingred Name:BENZENE (SARA III)

CAS:71-43-2

RTECS #:CY1400000 Fraction by Wt: >99%

OSHA PEL:1PPM/5STEL;1910.1028

ACGIH TLV:10 PPM; A2; 9192

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

====== Hazards Id

entification ============
Effects of Overexposure:INH:MAY BE FATAL.MAY CAUSE DIZZ,HEAD,LVR/KDNY DAMG;ING:SAME AS INH;SKIN/EYES:IRRITANT.MAY CAUSE PAIN
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NEEDED,GIVE CPR/OXYGEN.GET MD;INGEST:GIVE SEVRL GL OF WATER.DO NOT INDUCE VOMITG.IMMED GET MD;SKIN:FLUSH W/LG QTY OF H*2O FOR 15 MIN.REMV CONTMNTD CLOTHES.GET MD;EYES;IMMED FLUSH W/PLENTY OF H*2O FOR AT LEAST 15 M IN.GET MD.
======================================
Flash Point:-11C(12F)-C.C Lower Limits:1.0 Upper Limits:8.0 Extinguishing Media:DRY POWDER, FOAM, CARBON DIOXIDE Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR. Unusual Fire/Explosion Hazard:EXPLOSIVE VAPOR/AIR MIXTURES MAY FORM ABOVE FLASH POINT.CONTAINER MAY EXPLODE IN HEAT OR FLAME.  ===================================
======================================
Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTNRS AT COOL,DRY,VENTILATED PLACE.PROTECT AGAINST PHY DAMAGE.OUTSIDE OR DETACHED STORAGE IS PRE FERRED.KEEP AWAY FM OXIDIZERS Other Precautions:AVOID BREATHING DUST.USE W/ADEQUATE VENTILATION.KEEP CONTAINRS CLOSED.WASH THOROUGHLY AFTER HANDLING.AVOID SKIN,EYES & CLOTHING CONTACT;CANCER HAZRD; OVEREXPOSURE MAY CREATE CANCER RISK.

====== Exposure Controls/Personal Protection ========

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves: IMPERVIOUS

Other Prot

Eye Protection: GOGGLES/FACE SHIELD

Respiratory Protection: SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK

ective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION
Supplemental Safety and Health MSDS FM MFR DATED JAN 85 CONFORMS TO OSHA HAZ COMM STD; BENZENE IS CARCINOGEN DIFINED BY IARC, MAK, NIOSH, NTP & ACGIH-SEE ACGIH 1985,VOL 13,TABLE A3;
========= Physical/Chemical Properties ==========
HCC:F2 Boiling Pt:B.P. Text:80C(176F) Vapor Pres:100 Vapor Density:2.7 Spec Gravity:0.88 Evaporation Rate & amp; Reference:2.8(ETHER=1) Solubility in Water:NEGLIGI BLE Appearance and Odor:CLEAR COLORLESS LIQ;SWEET AROMATIC ODOR.
Percent Volatiles by Volume:100
======================================
Stability Indicator/Materials to Avoid:YES OXIDIZERS,CORROSIVE MATL(CLF*3,H*2SO*4,K,CHROMIC ANHYDRIDE) Stability Condition to Avoid:IGNITION SOURCES Hazardous Decomposition Products:TOXIC GASES & VAPOR SUCH AS CARBON MONOXIDE
======= Disposal Considerations ===========
Waste Disposal Methods:WASTE CAN BE ATOMIZED IN A CHEMICAL INCINERATOR SUITABLE FOR BURNING HAZARDOUS WASTE & EQUIPPED W/AN AFTERBURNER & SCRUBBER SYSTEM.ENSURE COMPLIANCE W/LOCAL,STATE & FED REGS. CWA/CERCLA RQ: 1000LBS.
Disclaimer (provided with this information by the compiling exercise).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liabi

lity for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.