

JOHN C. DOLPH COMPANY -- SYNTHITE AC-29-7S -- 5970-00-285-0269

=====  
Product Identification  
=====

Product ID:SYNTHITE AC-29-7S

MSDS Date:01/01/1987

FSC:5970

NIIN:00-285-0269

MSDS Number: BDTKV

=== Responsible Party ===

Company Name:JOHN C. DOLPH COMPANY

Box:267

City:MONMOUTH

State:NJ

ZIP:08852-9513

Country:US

Emergency Phone Num:908-329-2333

CAGE:DO943

=== Contractor Identification ===

Company Nam

e:JOHN C DOLPH COMPANY

Box:267

City:MONMOUTH

State:NJ

ZIP:08852-9513

Country:US

Phone:908-329-2333

CAGE:81476

Company Name:JOHN C. DOLPH CO.

Address:WEST NEW RD

Box:267

City:MONMOUTH JUNCTION

State:NJ

ZIP:08852-9513

Country:US

CAGE:DO943

=====  
Composition/Information on Ingredients  
=====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 28.0%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Q

ty:1000 LBS

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 4.0%

OSHA PEL:100 PPM

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt: 5.5%

OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:INSULATING COMPOUND (BY DIFFERENCE 62.5% APPROX)PROP  
FORMULA

Fraction by Wt: 62.5%

ACGIH TLV:NOT SPECIFIED

Ingred Name:SPECIAL NOTE FOR PIGMENTS CATALYST IN SUPPL DATA  
RT

ECS #:9999999ZZ

=====  
Hazards Identification  
=====

Effects of Overexposure:INHALATION OF HIGH CONC. MAY RESULT IN MILD  
DEPRESSION TO CONVULSIONS & LOSS OF CONSCIOUSNESS.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSUR

E.

=====  
Fire Fighting Measures  
=====

Flash Point:50F (ASTM D-56)

Lower Limits:0.9

Upper Limits:6.0

Extinguishing Media:WATER MAY BE INEFFECTIVE-RECOMMEND DRY  
CHEMICAL,CO\*2,FOAM

Fire Fighting Procedures:USE ALL METHODS THAT ARE RECOMMENDED FOR  
FLAMMABLE LIQUIDS.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT,FIRE AND OPEN FLAME.  
REMOVE EMPTY DRUM IMMEDIAT. AS VAPORS ARE EXPLOSIVE.

=====  
Accidental Release Measures  
=====

===

Spill Release Procedures:KEEP SOURCES OF IGNITION AWAY.RECOVER FREE LIQUID ADD ABSORBENT (SAND,EARTH,ETC.) PLACE MATERIAL IN DRUMS AND DISPOSE OF AS WASTE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAME.USE ONLY WITH ADEQUATE VENTILATION  
Other Precautions:AVOID PROLONGED OR REPEATED BREATHING OF VAPORS OR CONTACT WITH SKIN.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.  
Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.  
Protective Gloves:NEOPRENE  
Eye Protection:SAFETY/CHEM GOGGLES  
Other Protective Equipment:EYE WASH STATION. APRONS. SPECIAL IMPERVIOUS CLOTHING.  
Supplemental Safety and Health  
MSDS DATED 11/18/84. OTHER INGREDIENTS:-ZIRCONIUM 0.005%,COBALT NAPHTHENATE 0.0018%MANGANESE NAPHTHENATE 0.0012%

=====  
===== Physical/Chemical Properties =====

HCC:F2  
Boiling Pt:B.P. Text:220-320F  
Vapor Pres:7.6  
Vapor Density:4.0  
Spec Gravity:1.0  
Evaporation Rate & Reference:1.5  
Solubility in Water:2.0 MODERAT  
Appearance and Odor:CLEAR AMBER COLOR-AROMATIC HYDROCARBON ODOR  
Percent Volatiles by Volume:50.0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY THE MFR  
Stability Condition to Avoid:HEAT AND FIRE  
Hazardous Decomposition Products

:CO AND CO\*2

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF THE COLLECTED MATERIAL AT AN APPROVED  
DISPOSAL SITE OR FACILITY IAW LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate  
and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.