View NSN Online: https://aerobasegroup.com/nsn/9160-00-285-2041

Product ID:TYPE I GRADE B TECHNICAL PARAFFIN. MSDS Date:01/01/1987 FSC:9160 NIIN:00-285-2041 **MSDS Number: BDTLT** === Responsible Party === Company Name: KINDT-COLLINS CO. Emergency Phone Num:216-252-4122 CAGE:EO495 === Contractor Identification === Company Name: KINDT COLLINS CO Address:126 **51 ELMWOOD AVENUE** Box:City:CLEVELAND State:OH ZIP:44111-5911 Country:US Phone:216-252-4122/CHEMTREC 800-424-9300 CAGE:33629 Company Name: KINDT-COLLINS COMPANY Address:12651 ELMWOOD AVENUE City:CLEVELAND State:OH ZIP:44111 Phone: (216) 252-4122 CAGE:EO495

Ingred Name:HYDROCARBON WAX ACGIH TLV:2MG/CUM(FUME)

Effects of Overexposure: SLIGHTLY IRRITATING TO EYES;

## MOLTEN WAX FUME MAY CAUSE MILD RESPIRATORY IRRITATION.

======================================
First Aid:USE STANDARD FIRST AID PROCEDURE.IF HOT WAX STRIKES THE SKIN,IMMERSE THE AREA IN WATER,IF AVAILABLE,APPLY ICED WATER OR COLD PACKS(DO NOT DO IT IF BURNED AREA IS >10% OF THE BODY).DO NOT TRY TO REMOVE WAX FROM A BURN AFTER IT HAS COOLED,SEEK MED ATTN
======================================
Flash Point:>400F/204C(CO C)
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.
Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:SM MOLTEN SPILL:ALLOW WAX TO COOL & REMOVE AS A SOLID. LG MOLTEN SPILL:WEAR RESPIRATOR & PROTECTIVE CLOTHING,SHUT OFF SOURCE OF LEAK IF SAFETY TO DO SO.DIKE AND CONTAIN.ALLOW WAX TO COOL AND REMOVE AS A SOLID.
======================================
Handling and Storage Precautions:NONE
======================================
Respiratory Protection:IF EXPOSD TLV,NIOSH/MESA APPR SELF-CNTND BRTHG APP (POS PR MODE) Ventilation:NORMAL Protective Gloves:YES Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment:PROTECTIVE CLOTHING. Supplemental Safety and Health MSDS DATED 11-1-85.
======================================

HCC:N1 Boiling Pt:B.P. Text:>600F/315C Vapor Pres:0.1 Spec Gravity:0.86 Solubility in Water:NEGLIBLE Appearance and Odor:SLIGHT ODOR,WHITE IN COLOR.

==

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:CO,CO\*2,& UNIDENTIFIED ORGANIC COMPOUNDS.

Waste Disposal Methods:PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for th e suitability of this information to their particular situation.