View NSN Online: https://aerobasegroup.kr/nsn/6810-00-285-4331

Product ID:ST16 500 METHYL RED SOLUTION MSDS Date:06/05/1995 FSC:6810 NIIN:00-285-4331 MSDS Number: BDTNW === Responsible Party === Company Name: FISHER SCIENTIFIC CO; CHEMICAL MFG DIV Address:1-REAGENT LN **City:FAIR LAWN** State:NJ ZIP:07410 Country:US Info Phone Num:201-796-710 0 Emergency Phone Num:201-796-7100 CAGE:1B464 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464

Ingred Name: METHYL ALCOHOL (MET

HANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 99.98% OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:METHYL RED CAS:493-52-7 RTECS #:DG8960000 Fraction by Wt: 0.02%

LD50 LC50 Mixture:ORALRAT 5628 MG/KG:SKIN RABIT:20MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Haza

rds Acute and Chronic:CAUSES MODERATE EYE IRRITATION. MAY CAUSE PAINFUL SENSITIZATION TO LIGHT. MAY CAUSE SKIN IRRITATION. MAY BE ABSORBED THROUGH THE SKIN IN HARMFUL AMOUNTS. MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. MAY CAUSE IRRITATION OF DIGESTIVE TRACT. MAY CAUSE RESPIRATORY FAILURE. MAY CAUSE RESPIRATORY TRACT IRRITATION.

Explanation of Carcinogenicity:ACGIH-A2 SUSPECTED HUMAN CARCINOGEN; NIOSH-OCCUPATIONAL CARCINOGEN; NTP-SUSPECT CARCINOGEN; IARC- GROUP 3

CARCINOGEN.

Effects of Overexposure:EYE IRRITATION, SENSITIZATION TO LIGHT, SKIN IRRITATION, RESPIRATORY IRRITATION, DEATH, BLINDNESS, RESPIRATORY FAILURE, VASCULAR COLLAPSE/DAMAGE, KIDNEY FAILURE, CENTRAL NERVOUS SYSTEM DEPRESSION, DER MATITIS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: IF CONSCIOUS, GIVE 2-4 CUPFULS OF MILK OR WATER. GET MEDICAL AID IMMEDIATELY. INDUCE VOMITING BY GIVING 1 TSP IPECAC.

Flash Point:52.0F,11.1C Lower Limits:6 % Upper Limits:36 % Extinguishing Media:DRY CHEMICAL, CAR BON DIOXIDE, WATER SPRAY OR ALCOHOL-RESISTANT FOAM. Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER. Unusual Fire/Explosion Hazard: VAPOR IS FLAMMABLE AND HEAVIER THAN AIR AND MAY TRAVEL TO SOURCE OF IGNITION AND FLASHBACK. HIGHLY TOXIC GASES MAY BE GENERATED DURING A FIRE. Spill Release Proce dures: SCOOP UP WITH NON-SPARKING TOOL. PALCE IN A SUITABLE CONTAINER FOR DISPOSAL. USE WATER SPRAY TO DISPSERSE GAS/VAPOR. REMOVE ALL SOURCES OF IGNITION. ABSORB SPILL USING ABSORBENT, NON-COMBUSTIBLE MATER IAL SUCH AS EARTH, SAND. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: KEEP AWAY FROM SOURCE OF IGNITION. STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM INCOMPATIB IF MATERIALS. USE WITH ADEQUATE VENTILATION. Other Precautions: EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE.

Respiratory Protection: IF VENTILATION EQUIPMENT IS NOT SUFFICIENT TO KEEP AIRBORNE CONCENTRATIONS BELOW LIMITS, A NIOS

H APPROVED RESPIRATOR SHOULD BE WORN. Ventilation:LOCAL EXHAUST TO MAINTAIN TLV/PEL BELOW THE LIMITS. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health REMOVE CON TAMINATED CLOTHING AND WASH BEFORE REUSE. DO NOT GET ON SKIN OR IN EYES. DO NOT INGEST OR INHALE.

HCC:F3 Boiling Pt:B.P. Text:149F/65C Melt/Freeze Pt:M.P/F.P Text:-144F,-98C Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:100 Vapor Density:1.1 Spec Gravity:0.79 Evaporation Rate & amp; Reference:> 1 (NO REFERENCE GIVEN) Solubility in Water:COMPLETE Appearance and Odor:RED LIQUID, ALCOHOL ODOR

====== Stability and

Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
OXIDNANTS, ACTIVE METALS, ACETYL BROMIDE, ALKYL ALUMINUM SALTS, BERYLLIUM DIHYDRIDE, CARBON TETRACHLORIDE + METALS
Stability Condition to Avoid:EXTREME TEMPERATURES AND PRESSURES, SOURCES OF IGNITIONS
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, FORMALDEHYDE.

Waste Disposal Methods: DISPOSE OF COLLECTED MATERIAL IN AC

CORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the sui tability of this information to their particular situation.