

KERR-MCGEE CHEMICAL CORP -- KERR MAC 140 -- 6850-00-285-8011

=====  
Product Identification  
=====

Product ID:KERR MAC 140

MSDS Date:01/01/1985

FSC:6850

NIIN:00-285-8011

MSDS Number: BDTRL

=== Responsible Party ===

Company Name:KERR-MCGEE CHEMICAL CORP

Address:123 ROBERT S KERR AVE

Box:25861

City:OKLAHOMA CITY

State:OK

ZIP:73125

Country:US

CAGE:07083

=== Contractor Identification ===

Company Name:KE

RR-MCGEE CHEMICAL CORP

Address:123 ROBERT S KERR AVE

Box:25861

City:OKLAHOMA CITY

State:OK

ZIP:73125

Country:US

Phone:405-270-1313

CAGE:07083

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYDROCARBON

Fraction by Wt: 100%

ACGIH TLV:200 PPM (MFR)

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE/SKIN: IRRITATION. VAPOR: IRRITATION TO  
MUCOUS MEMBRANES,NARCOSIS.

=====  
First Aid Measures  
=====

=====  
First Aid:EYE:FLUSH WITH WATER 15 MINUTES. SKIN:WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION:DO NOT INDUCE VOMITING,CALL A PHYSICIAN.

=====  
Fire Fighting Measures =====

Flash Point:140F/60C (TCC)  
Lower Limits:1  
Extinguishing Media:CO\*2,DRY CHEM,FOAM  
Fire Fighting Procedures:WATER FOG TO COOL EXPOSED CONTAINERS.

=====  
Accidental Release Measures =====

Spill Release Procedures:SE  
CURE SOURCES OF IGNITION. AVOID BREATHING VAPOR,VENT AREA. REMOVE WITH INERT ABSORBENT,NON SPARKING TOOLS.

=====  
Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F/48C. CONTAINERS SHOULD BE GROUNDED WHEN PUMPING.  
Other Precautions:HARMFUL OR FATAL IS SWALLOWED. KEEP AWAY FROM CHILDREN FOR INDUSTRIAL USE ONLY.

=====  
Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST/MECHANICAL  
Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:RUBBER APRON  
Supplemental Safety and Health  
TYPE 11,FLAHS POINT 14F. CONTAINER SIZE: 55 GAL DRUM

=====  
Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:375/190C  
Vapor Pres:1  
Vapor Density:5.3  
Spec Gravity:0.786  
Evaporation Rate & Reference:0.03 (N-BUTYL AC)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LIGHT COLORED LIQUID,CHARACTERISTIC ODOR  
Percent Volatiles

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZERS SUCH AS PERMANGANATE  
Hazardous Decomposition Products: CARBON MONOXIDE

===== Disposal Considerations =====

Waste Disposal Methods: IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by  
elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.