

FINETEX INCORPORATED -- GEMTEX SC-75 -- 6850-00-285-9432

===== Product Identification =====

Product ID:GEMTEX SC-75

MSDS Date:01/01/1987

FSC:6850

NIIN:00-285-9432

MSDS Number: BDTSV

=== Responsible Party ===

Company Name:FINETEX INCORPORATED

Address:185 AND HACKETT ST

Box:164

City:SPENCER

State:NC

ZIP:28159

Country:US

Emergency Phone Num:704-633-8028

CAGE:LO167

=== Contractor Identification ===

C

Company Name:FINETEX INC

Address:185 AND HACKETT ST

Box:164

City:SPENCER

State:NC

ZIP:28159

Country:US

Phone:704-633-8028

CAGE:69333

Company Name:FINETEX INCORPORATED

Address:185 AND HACKETT ST

Box:164

City:SPENCER

State:NC

ZIP:28159

Country:US

CAGE:LO167

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM DIOCTYL SULFOSUCCINATE (MAIN INGREDIENT)

ACGIH TLV:NOT SPECIFIED

Ingred Name:ISOPROPYL ALCOHOL,CAS#67-63-0

RTECS #:NT0050000

Fraction by Wt: 8.0%

ACGIH TL

V:400PPM

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: NEG

OSHA PEL:0.05 MG/M3;1910.1025

ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
Hazards Identification
=====

Effects of Overexposure:MODERATELY IRRITATING TO SKIN,STRONG IRRITATING TO EYES,MAY ALSO AFFECT RESPIRATORY SYSTEM

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF

NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:116F/47C (C.C)

Extinguishing Media:CO*2,DRY CHEMICAL,FOAM

Fire Fighting Procedures:USE NIOSH APPROVED SCBA IN FIRES OR IN CONFINED AREA.

Unusual Fire/Explosion Hazard:MAY EMIT TOXIC FUMES UPON BURNING.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.USE ABSORBENT MATERIAL,DILUTE WITH WATER AND RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE DRY AND WELL VENTILATED AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT INHALE VAPORS.WASH HANDS AFTER EACH USE.USE CARE,PRODUCT CONTAIN NEGLIGIBLE AMOUNT OF LEAD (1

0 PPM)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS/MIST.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION

Supplemental Safety and Health

MSDS UNDATED

===== Physical/Chemical Properties =====

=====

HCC:F4

Spec Gravity:1.077

Solubility in Water:COMPLETE

Appearance and Odor:SLIGHTLY VISCOUS,COLORLESS LIQUID;MILD ODOR.

Percent Volatiles by Volume:18.2

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED

Stability Condition to Avoid:NONE SPECIFIED

Hazardous Decomposition Products:MAY EMIT TOXIC FUMES UPON BURNING

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE

OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.