

SHERWIN-WILLIAMS CO THE SPECIALTY DIV. -- 01770 OSHA GLOSS BLACK, 45908 --
8010-00-290-6984

=====
===== Product Identification =====

Product ID:01770 OSHA GLOSS BLACK, 45908

MSDS Date:01/01/1987

FSC:8010

NIIN:00-290-6984

MSDS Number: BDVHS

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS CO THE SPECIALTY DIV.

Address:31500 SOLON RD

City:SOLON

State:OH

ZIP:44146-5000

Country:US

Info Phone Num:800

-777-2966/247-3266

Emergency Phone Num:216-566-2917

CAGE:DO642

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS CO THE SPECIALTY DIV.

Address:6830 COCHRAN RD.

Box:6709

City:SOLON

State:OH

ZIP:44139-3908

Phone:216-292-7400

CAGE:DO642

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

=====
===== Composition/Information on Ingredients =====

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 20%
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 15%
OSHA PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYLENE CHLORIDE (SARA III)
CAS:75-09-2
RTECS #:PA8050000
Fraction by
Wt: 25%
OSHA PEL:500 PPM/C,1000; Z2
ACGIH TLV:50 PPM, A2; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000
Fraction by Wt: 15%
ACGIH TLV:1000 PPM

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 15%
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

===== Hazards Identification =====

Effects of Overexposure:SKIN IRRITANT/LIGHT-HEADEDNESS/STAGGERING
GAIT/GIDDINESS/NAUSEA/BRAIN & NERVOUS SYTSTEM

DAMAGE.

=====
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH SOAP & WATER. INGESTION: DON'T INDUCE VOMITING. CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:20F

Extinguishing Media:CO2, DRY CHEMICAL OR FOAM

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE, WATER TO COOL CONTAINERS.

Unusual Fire/Explosion Haza

rd:DON'T SPRAY NEAR OPEN FLAME. KEEP AT ROOM

TEMP EXPOSURE TO SUNLIGHT/HEAT MAY CAUSE BURSTING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE, AVOID BREATHING VAPORS AND REMOVE WITH INRT ABSORBENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE >120F. KEEP AT ROOM TEMPERATURE AS EXPOSURE TO SUNLIGHT MAY CAUSE BURSTING.

Other Pr

ecautions:HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM

CHILDREN. DON'T PUNCTURE OR INCINERATE. DON'T SPRAY NEAR FIRE OR OPEN FLAME.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AVOID BREATHING OF VAPOR OR SPRAY MIST

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP