View NSN Online: https://aerobasegroup.kr/nsn/8010-00-297-0584

## PRAXAIR INC -- ENAMEL ALKYD SG WHITE 27875 (745720) -- 8010-00-297-0584

======== Product Identification ============

Product ID:ENAMEL ALKYD SG WHITE 27875 (745720)

MSDS Date:01/01/1987

FSC:8010

NIIN:00-297-0584

MSDS Number: BDVZV
=== Responsible Party ===
Company Name: PRAXAIR INC
Address: 39 OLD RIDGEBURY RD

Box:2153

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:203-794-5782

Emergency Phone Num:203-794-5782

CAGE:0LV01

=== Contractor Identification ===

Company Name: PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name: PRAXAIR, INC. Address: 39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113 Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

====== Composition/Information on Ingredients ========

Ingred Name: SILICA, CRYSTALLINE - CRISTOBALITE

CAS:14464-46-1 RTECS #:VV7325000

**OSHA PEL:SEE** 

TABLE Z3 ACGIH TLV:0.05 MG/M3 RDUST9293 Ingred Name: TALC (CONTAINING NO ASBESTOS) CAS:14807-96-6 RTECS #:WW2710000 OSHA PEL:2 MG/M3 RDUST ACGIH TLV:2 MG/M3 RDUST; 9192 Ingred Name:TITANIUM DIOXIDE RTECS #:XR2100000 ACGIH TLV:10 MG/CU.M. Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS:1330-20-7 RTECS #:ZE2100000 OSHA PEL:100 PPM/150 STEL ACGIH TLV:100 PPM/150STEL;9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name: MINERAL SPIRITS CAS:64475-85-0 RTECS #:PY8240000 ACGIH TLV:100 PP Effects of Overexposure: SWALLOWING CAN CAUSE GASTROINTESTINAL IRRITATION, ANESTHETIC, MAY CAUSE HEADACHE OR NAUSEA First Aid:IF SWALLOWED INDUCE VOMITING.CONSULT PHYSICIAN OR POISON CONTROL CENTER.INHALATION-REMOVE TO FRESH AIR.EYE-FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES.SKIN-WASH AFFECTED AREA WITH SOAP AND WATER. GET MEDICAL ATTE NTION IF IRRITATION PERSISTS ============== Fire Fighting Measures ======================= Flash Point:80F(26.67C) Lower Limits: 1.10 Extinguishing Media: CLASS B FIRE EXTINGUISHERS

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT.CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT

========= Accidental Release Measures =============

Spill Release Procedures: KEEP SPECTATORS A

WAY.ELIMINATE ALL IGNITION SOURCES.DIKE AND CONTAIN SPILL WITH INERT MATERIAL.TRANSFER LIQUIDS TO COVERED METAL CONTAINERS FOR RECOVERY OR DISPOSAL.PREVENT CONTAMINATION OF SEWERS, STR EAMS AND GROUND WATER WITH SPILLED **MATERIAL** ============= Handling and Storage ========================== Handling and Storage Precautions: DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106 Other Precautions: DO NOT TAKE INTERNALLY. CLOSE CONTAINER AFTER E **ACH** USE.DO NOT BREATHE SANDING DUST.EMPTY CONTAINERS MUST NOT BE WASHED OR REUSE.NEVER USE PRESSURE TO EMPTY CONTAINER. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: USE NIOSH APPROVED MECHANICAL FILTER OR AIR-SUPPLIED RESPIRATOR Ventilation: PROVIDE GENERAL DILUTION AND LOCAL EXHAUST VENTILATION Protective Gloves: IMPERMEABLE Eve Protection: GOGGLES AND FACE SHIELD Other Protective Equipment: NONE LIKELY TO BE NEEDED Supplemental Safety and Health ======== Physical/Chemical Properties ============= HCC:F3 Boiling Pt:B.P. Text:244F Vapor Pres:5 Evaporation Rate & Evaporation R

Vapor Density:>1

Percent Volatiles by Volume:56

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS OR ALKALINE MATERIALS Stability Condition to Avoid: NONE KNOWN Hazardous Decomposition Products: BURNING WILL PRODUCE SMOKE, CARBON MONOXIDE AND DIOX

====== Disposal Considerations ===========

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL LAWS.DO NOT INCINERATE CLOSED CONTAINERS.INCINERATE ONLY IN EPA PERMITTED FACILITY.OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIALS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner wh atsoever.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.