

PRAXAIR INC -- ENAMEL ALKYD GLOSS GREEN 14064 -- 8010-00-298-2295

=====
Product Identification
=====

Product ID:ENAMEL ALKYD GLOSS GREEN 14064

MSDS Date:01/01/1987

FSC:8010

NIIN:00-298-2295

MSDS Number: BDWJS

=== Responsible Party ===

Company Name:PRAXAIR INC

Address:39 OLD RIDGEBURY RD

Box:2153

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:203-794-5782

Emergency Phone Num:203-794

-5782

CAGE:0LV01

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name:PRAXAIR, INC.

Address:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

=====
Composition/Information on Ingredients
=====

Ingred Name:*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,

M-,P- ISOMERS) (SARA III)
CAS:1330-20-7
RTECS #:ZE2100000
OSHA PEL:100 PPM/150 STEL
ACGIH TLV:100 PPM/150STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:IRON OXIDE
CAS:1332-37-2
RTECS #:NO7380000

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9192

===== Hazards Identification =====

Effects of Overexposure:MATRL INTO LUNGS CAN CAUSE CHEM PNEUMONITIS
WHICH CAN BE FATAL.INHAL:NAUSEA,UNCONSCIO
US,EVN ASPHYXIA

===== First Aid Measures =====

First Aid:SWALLOWED:INDUC VOMIT IMMED.GIVNG 2 GLASES OF WATER &
STICKING FINGER DOWN THROAT.CONSULT DR OR POISON CONTROL CENTR
IMMED.(NVR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS
PERSON.)INHAL:REMOV TO FRESH AI R IMMED.IF BREATH HAS STOP,GIVE
ARTIF RESPIRATION

===== Fire Fighting Measures =====

Flash Point:80F,27C
Extinguishing Media:CL B FIRE EXTING(CO*2,ALL
PURPOS DRY CHEM OR ALCOH
FOAM)
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTND BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:KP CONTNRS TIGHTLY CLOS.ISOLAT FR
HEAT,ELECT EQPMT,SPARKS & FLAME CLOS CONTNRS MAY EXPLOD EXPOS(SUP)

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY.ELIM ALL IGNIT SOURCES
(FLAMES,HOT SURFACES & SOURCES OF ELECTR,STATIC OR FRICTIONAL
SPARKS).DIKE & CONTN SPILL W/INER

T MATRL (E.G.SAND,EARTH).TRANSFER
LIQDS TO COVERED METAL CONT NRS F/RECOVERY OR DISPOS,OR REMOV
INERTABSBR.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG
QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.106.
Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTNR AFTER EACH USE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPRVD MECH FILTR RESPI
R TO REMOV
OVRSPRAY.
Ventilation:PROVID GEN DILUT & LOC EXHAUST VENTIL IN SUFFICIENT VOLUME
Protective Gloves:SOLVNT IMPER ME
Eye Protection:SAFETY SPECTACLES W/SIDE
Other Protective Equipment:NOT LIKELY TO BE NEEDED.
Supplemental Safety and Health
*INDICATES SOLVENT. UNUS. FIRE & EXPLOS. HAZ: TO EXTREME HEAT.
HAZARDOUS DECOMP PRODUCTS: AND CO*2.

=====
Physical/Chemical Properties
=====

HCC:F3
Boiling Pt:B.P. Text:193-395F
Vapor Density:HEAV
Evaporation Rate
& Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:61

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS OR ALKALINE MATERIALS
Stability Condition to Avoid:NONE KNOWN
Hazardous Decomposition Products:BURNING,INCLD WHN HEAT BY
WELD,CUTTNG,WILL PRODUC SMOK CO(SU

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOS IN ACCORD W/FED,STATE & LOC
LAWS.INCINERATE

ONLY IN EPA PERMITTED FACILITY.DO NOT INCIN CLOS
CONTNRS.OBSERV PRECAUTIONS F/DISPOS OF FLAMMBL MATRLS.CONTAMINATED
ABSORBANT MAY BE DISPOS IN A HAZ WASTE LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any pers
on utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.