View NSN Online: https://aerobasegroup.kr/nsn/6850-00-370-5415

AMERICAN HOECHST CORPORATION -- ENCO NMD DEVELOPER -- 6850-00-370-5415

Product ID: ENCO NMD DEVELOPER MSDS Date:12/06/1988 FSC:6850 NIIN:00-370-5415 **MSDS Number: BDXHC** === Responsible Party === Company Name: AMERICAN HOECHST CORPORATION Address: ROUTE 202-206 NORTH City:SOMERVILLE State:NJ ZIP:08876-3548 Info Phone Num:201-231-3225 Emergency Phone Num:201-231-3225 С AGE:2V751 === Contractor Identification === Company Name: AMERICAN HOECHST CORPORATION Address: ROUTE 202-206 NORTH Box:3700 City:SOMERVILLE State:NJ ZIP:08876 Country:US Phone:201-231-2244 CAGE:2V751 Company Name: HOECHST CELANESE CORP PRINTING PRODUCTS DIV Address:3070 U S HWY 22 W Box:3700 City:SOMERVILLE State:NJ ZIP:08870 Country:US Phone:908-231-3829 CAGE:02687

Ingred Name:N-PROPYL ALCOHOL CAS:71-23-8 RTECS #:UH8225000 Fra ction by Wt: 6.0% OSHA PEL:200 PPM/250 STEL ACGIH TLV:S,200PPM/250STEL9192

Ingred Name:N-PROPOXYL PROPANOL CAS:1569-01-3 RTECS #:UB9351000 Fraction by Wt: 10%

Ingred Name:MAGNESIUM SULFATE (EPSOM SALTS) CAS:7487-88-9 RTECS #:OM4500000 Fraction by Wt: 6%

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

LD50 LC50 Mixture:LD50 ORAL RAT>2.9G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity: NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SEE SIGNS & SYMPTOMS OF OVEREXPOSURE. Effects of Overexposure:EYES:IRRITATION;SKIN:DRYNESS,IRRITATION;SKIN ABSORPTION:CNS DEPRESSION;INHALATION:DROWSINESS,HEADACHE,ATAXIA,DIZZINESS;INGESTIO N:GASTROINTESTINAL PAIN,ABDOMINAL CRAMPS,NAUSEA,VOMIT,CATHARSIS. Medical Cond Aggravated by Exposure:SKIN OR RESPIRATORY CONDITION.

First Aid:EYES:FLUSH WITH PLENTY OF WATER.SEE DOCTOR IF IRRITATION PERSIST;SKIN:WASH WITH SOAP AND WATER.SEE DOCTOR IF IRRITATION OR RASH OCCURS;INHALATION:REMOVE TO FRESH AIR.SEE DOCTOR IF IRRITATION PERSISTS; INGESTION:GIVE WATER OR MILK IF CONSCIOUS,SEE DOCTOR.

Flash Point Method:CC Flash Point:107F(42C) Extinguishing Media:WATER, ALCOHOL FOAM,CO*2,DRY CHEMICAL Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND WITH FULL PROTECTION.

Un

usual Fire/Explosion Hazard: EMIT TOXIC FUMES DURING FIRE CONDITIONS.

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.CONTAIN SPILL.VENTILATE.REMOVE IGNITION SOURCES.ABSORB IN INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER.RINSE RESIDUAL WITH WATER.

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER KE EP

TIGHTLY CLOSED.

Other Precautions:STANDARD SAFETY PRECAUTIONS FOR CHEMICAL HANDLING SHOULD BE OBSERVED.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS IF ABOVE TLV
Ventilation: LOCAL EXHAUST RECOMMENDED.
Protective Gloves: RUBBER
Eye Protection: GOGGLES. DO NOT WEAR CONTACT LENSES.
Other Protective Equipment: CLOTHING SUITABLE TO AVOID SKIN CONTACT
Work Hygienic Practices: WASH THOROUGHLY
AFTER HANDLING. REMOVE AND LAUNDER CONTAMINATED CLOTHING.

Supplemental Safety and Health

HCC:F4 Boiling Pt:B.P. Text:191.5F/89C Vapor Pres:10 Vapor Density: