View NSN Online: https://aerobasegroup.kr/nsn/9150-00-419-0628

Product ID:ROYCO 71 MSDS Date:01/01/1987 FSC:9150 NIIN:00-419-0628 MSDS Number: BDYKG === Responsible Party === Company Name: ROYAL LUBRICANTS COMPANY INCORPORATED. Emergency Phone Num: (201)887-3100 CAGE:07950 === Contractor Identification === Company Name: ROYAL LUBRICANTS COMPANY INC. Address: 215 MERRY LN Box:518 **City:EAST HANOVER** State:NJ ZIP:07936 Country:US Phone:973-887-7411/7410 CAGE:07950

Ingred Name:MOLYBDENUM DISULFIDE CAS:1317-33-5 RTECS #:QA4697000 Fraction by Wt: 22%. OSHA PEL:10 MG/M3 TDUST (MO) ACGIH TLV:10 MG/M3 (MO); 8990

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

\_\_\_\_\_

First Aid:EYES:-WASH IMMEDIATELY WITH WATER FOR 15 MINUTES,SKIN:-RASHES MAY OCCUR AFTER PROLONG CONTACT,KEEP CLEAN & WASH WITH SOAP & WATER,IF REQD SEEK MEDICAL ADVICE. IN CASE OF INGESTION, DO NOT INDUCE VOMIT ING.GET MEDICAL ADVICE.
======================================
Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP,DO NOT USE WATER JETS.
Unusual Fire/Exp losion Hazard:NONE NOTED BY MANUFACTURER.
======================================
Spill Release Procedures:CLEAN-UP WITH METAL SCRAPERS & RAGS.SPREAD DRY SAND OR MINERALS ABSORBENT OVER REMAINING GREASE. USE PERSONAL PROTETIVE CLOTHING IF NEEDED
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT.
KEEP CONTAINERS TIGHTLY CLOSED. Other Precautions:NONE
======================================
Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.
Supplemental Safety and Health UPDATE PER NON-OSHA UNDATED MSDS RECD 3SEP85.
======================================

HCC:V6 Boiling P t:B.P. Text:600F/316C Evaporation Rate & amp; Reference:3.5% AT 350F,22 HR Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK GREASE, MELTING POINT 510F.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO\*2, H\*20.

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docume

nt should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.