

C R C CHEMICALS U.S.A. -- 2-26(AEROSOL)#2004,2005,5-56 GOVT -- 9150-00-529-7222

=====
Product Identification
=====

Product ID:2-26(AEROSOL)#2004,2005,5-56 GOVT

MSDS Date:11/01/1985

FSC:9150

NIIN:00-529-7222

MSDS Number: BFCZN

=== Responsible Party ===

Company Name:C R C CHEMICALS U.S.A.

Address:885 LOUIS DRIVE

City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Info Phone Num:215-674-4300

Emergenc

y Phone Num:215-674-4300

Preparer's Name:A. B. REED

CAGE:IO004

=== Contractor Identification ===

Company Name:C R C CHEMICALS

Address:885 LOUIS DR

City:WARMINSTER

State:PA

ZIP:18974

Country:US

Phone:215-674-4300

CAGE:IO004

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATE (DISTILLATES,HYDR

OTREATED LIGHT)
CAS:64742-47-8
Fraction by Wt: 42.0%
Other REC Limits:200PPM

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 29.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:350 PPM
ACGIH TLV:350 PPM/450STEL;9394
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:INHIBITED PARAFFINIC OIL (TLV AS OIL MIST =5MG/CUM)
Fraction by Wt: 25.0%
ACGIH TLV:5MG/CUM (MIST)

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Fraction by Wt: 4.0%
OSHA PEL:5000 PPM
ACGIH TLV:5000PPM/30000STEL;93

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:INHALATION:HEADACHE,DIZZINESS
AND NAUSEA.MAY ALSO HAVE SOME ANESTHETIC EFFECT.
EYES:BURNING,IRRITATION. SKIN:DRYING,DEFATTING.
CHRONIC:DERMATITIS.
Effects of Overexposure:EYE IRRIT
ATION, DRYING OF SKIN, EXCESSIVE
INHALATION CAUSES HEADACHE, DIZZINESS, & NAUSEA
Medical Cond Aggravated by Exposure:BREATHING CONDITIONS.

=====
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH LARGE AMOUNTS OF WATER;SKIN:WASH WITH SOAP
AND WATER;INHALATION:REMOVE TO FRESH AIR.APPLY ARTIFICIAL
RESPIRATION,IF NECESSARY;INGESTION:DO NOT INDUCE VOMIT.CALL
DOCTOR.IF ANY SYMPTOMS PERSIST,SEE DOCTOR.

=====
===== Fire Fighting Measu

res =====

Flash Point Method:COC

Flash Point:170F/77C (COC)

Extinguishing Media:CO*2,DRY CHEMICAL,FOAM,WATER FOG

Fire Fighting Procedures:USE NIOSH APPROVED SCBA IN FIRES.

Unusual Fire/Explosion Hazard:AEROSOL CONTAINERS MAY EXPLODE WHEN HEATED ABOVE 130F. VAPORS ARE HEAVIER THAN AIR AND WILL TEND TO COLLECT IN LOW AREAS.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER.

CLEAN UP RESIDUE WITH ABSORBENT MATERIAL. AVOID EXPOSURE TO SPARKS, FIRE OR HOT METAL SURFACES

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

Other Precautions:AVOID SKIN AND EYES CONTACT:DO NOT INHALE VAPORS OR MIST.WASH AFTER EACH USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SCBA IF TLV IS EXCEEDED.

Ventilation:LOCAL EXHAUST

Protective Gloves:SOLVENT RESISTANT

Eye Protection:GOGGLES

Other Protective Equipment:EYE BATH & SAFETY SHOWER

Work Hygienic Practices:WASH HANDS AFTER HANDLING.

Supplemental Safety and Health

FLASH POINT IS FOR THE SOLVENT IN AEROSOL CAN.

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:=104.4C, 220.F

Vapor Pres:6.2

Vapor Density:>1.0

Spec Gravity:0.932

Solubility in Water:NEGLIGIB

LE
Appearance and Odor:AMBER LIQUID, PLEASANT ODOR
Percent Volatiles by Volume:76

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENT
Stability Condition to Avoid:HEAT,IGNITION SOURCES.
Hazardous Decomposition Products:THERMAL DECOMPOSITION:HCL,CL*2,CO AND
POSSIBLY PHOSGENE.

===== Disposal Considerations =====

Waste Disposal Methods:PARTIALLY USED OR FULL AEROSOLS ARE HAZARDO
US
WASTES IF DISCARDED. DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to ve
rify and
assume responsibility for the suitability of this information to their
particular situation.