View NSN Online: https://aerobasegroup.kr/nsn/6850-00-576-9842 ELDORADO CHEMICAL CO,INC. -- HT-2302 -- 6850-00-576-9842 ============ Product Identification ========================= Product ID:HT-2302

MSDS Date:04/29/1986

FSC:6850

NIIN:00-576-9842

MSDS Number: BFFSV === Responsible Party ===

Company Name: ELDORADO CHEMICAL CO, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX ZIP:78265 Country:US

Info Phone Num:512-653-9323

Emergency Phone Num:800-531-1088

Preparer's Na me:PAT E. SMITH

CAGE:55208

=== Contractor Identification ===

Company Name: ELDORADO CHEMICAL COMPANY, INC.

Address:14350 LOOKOUT ROAD

Box:34837

City:SAN ANTONIO

State:TX

ZIP:78265-4837 Country:US

Phone:800-531-1088/210-653-2060

CAGE:55208

======= Composition/Information on Ingredients ========

Ingred Name: O-DICHLOROBENZENE (SARA III)

CAS:95-50-1

RTECS #:CZ4500000 Fraction by Wt: 60% OSHA PEL:C 50 PPM

ACGIH TLV:S, 25PPM/50 STEL9394

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred N

Fraction by Wt: 26% OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
Ingred Name:AROMATIC NAPHTHA CAS:64742-95-6 Fraction by Wt: 3% ACGIH TLV:500 PPM
========== Hazards Identification ===========
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CUMULATIVE POISON,CORROSIVE. Effects of Overexposure:EYE-BURNS ON CONTAC T. SKIN-CORROSIVE &
CUMULATIVE POISON BY ABSORPTION. INHAL-SYSTEMIC POISON,LIVER & KIDNEY DAMAGE.
======================================
First Aid:EYES-FLUSH W/WATER 15 MIN. SKIN-FLUSH W/WATER 15 MIN;WASH W/SOAP & WATER. INHAL-GET TO FRESH AIR. GET MED ATTN IN ALL CASES
======================================
Flash Point:240F Lower Limits:15 Upper Limits:3
Extinguishing Media:WATER,CARBON DIOXIDE,DRY POWDER. Fire Fightin
g Procedures:USE BREATHING APPARATUS,CARBON FILTER OR AIR SUPPLY.
Unusual Fire/Explosion Hazard:TOXIC CHLORIDE GASES FORMED DURING COMBUSTION.
======== Accidental Release Measures =========
Spill Release Procedures: ABSORB W SWEEPING CMPD, CLAY OR SAND.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:CONTROL OF AIR FLOW,ACTIVATED CARBON FILTERS. Ventilation:100 FT/SEC Protective Gloves:RUBBER Eye Protection:FACE SHIELD Oth

ame:CRESOL, ALL ISOMERS (CRESYLIC ACID) (SARA III) CAS:1319-77-3

RTECS #:GO5950000

er Protective Equipment: RUBBER APRON & BOOTS Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:B2 Boiling Pt:=176.7C, 350.F Vapor Pres:10 Vapor Density:5 Spec Gravity:1.2 pH:11 Evaporation Rate & Properties | Evaporation Rate & Properties Solubility in Water: INSOLUBLE Appearance and Odor:THIN,AMBER LIQUID,PUNGENT ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES OXIDIZERS. Stability Condit ion to Avoid:NOT GIVEN Hazardous Decomposition Products:NONE ======= Disposal Considerations ============

Waste Disposal Methods: SHIP TO APPROVED DISPOSAL SITE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its us

e. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.