

PRATT & LAMBERT, INC. -- ENAMEL, ALKYD, GLOSS YELLOW 13578 -- 8010-00-584-3082
===== Product Identification =====

Product ID:ENAMEL, ALKYD, GLOSS YELLOW 13578

MSDS Date:01/01/1987

FSC:8010

NIIN:00-584-3082

MSDS Number: BFGLD

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Address:16116 E 13TH ST

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

CAGE:FO127

=== Contractor Identificati

on ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY 14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

ACGIH TLV:100PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

E

PA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

=====
Hazards Identification
=====

Effects of Overexposure:MATRL INTO LUNGS CAN CAUSE CHEM PNEUMONITIS
WHICH CAN BE FATAL.INHAL:NAUSEA,UNCONSCIOUS,EVN ASPHYXIA

=====
First Aid Measures
=====

First Aid:SWALLOWED:INDUC VOMIT IMMED.GIVNG 2 GLASES OF WATER &
ST
ICKING FINGER DOWN THROAT.CONSULT DR OR POISON CONTROL CENTR
IMMED.(NVR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS
PERSON.)INHAL:REMOV TO FRESH AI R IMMED.IF BREATH HAS STOP,GIVE
ARTIF RESPIRATION

=====
Fire Fighting Measures
=====

Flash Point:80F 27C
Extinguishing Media:CL B FIRE EXTING(CO*2,ALL PURPOS DRY CHEM OR ALCOH
FOAM)
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTND BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:KP C
ONTNRS TIGHTLY CLOS.ISOLAT FR
HEAT,ELECT EQPMT,SPARKS & FLAME.CLOS CONTNRS MAY EXPLOD EXPOS(SUP)

=====
Accidental Release Measures
=====

Spill Release Procedures:KEEP SPECTATORS AWAY.ELIM ALL IGNIT SOURCES
(FLAMES,HOT SURFACES & SOURCES OF ELECTR,STATIC OR FRICTIONAL
SPARKS).DIKE & CONTN SPILL W/INERT MATRL (E.G. SAND,EARTH).TRANSFR
LIQDS TO COVERED METAL CONT NRS F/RECOVERY OR DISPOS,OR REMOV
INERTABSORB.

=====
Handling and Sto
=====

rage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LG
QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.106.

Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTAINER AFTER EACH
USE.EMPTY CONTAINERS MUST NOT BE WASHED & RE-USED FOR ANY PURPOSE.

===== Exposure Controls/Personal Protection =====

Ventilation:PROVID GEN DILUT & LOC EXHAUST VENTIL IN SUFFICIENT VOLUME.

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACLES W/SID

E

Other Protective Equipment:NOT LIKELY TO BE NEEDED

Supplemental Safety and Health

*INDICATES SOLVENT. UNUS. FIRE & EXPLOS. HAZ: TO EXTREME HEAT. HAZ.
DECOMP PRODUCTS: AND CO*2.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:193-395F

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE M

ATERIALS

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:BURNING,INCLD WHN HEAT BY
WELD,CUTTNG,WILL PRODUC SMOK CO(SU

===== Disposal Considerations =====

Waste Disposal Methods:DISPOS IN ACCORD W/FED,STATE & LOC

LAWS.INCINERATE ONLY IN EPA PERMITTED FACILITY.DO NOT INCIN CLOS

CONTNRS.OBSERV PRECAUTIONS F/DISPOS OF FLAMMBL MATRLS.CONTAMINATED
ABSORBANT MAY BE DISPOS IN A HAZ WASTE LANDFILL.

Disclaimer (provided with thi

s information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.