

DAVIS-HOWLAND OIL CORP. -- VV-L-825 TYPE II (CALVIS 300) -- 9150-00-598-2911

=====
Product Identification
=====

Product ID:VV-L-825 TYPE II (CALVIS 300)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-598-2911

MSDS Number: BFHFB

=== Responsible Party ===

Company Name:DAVIS-HOWLAND OIL CORP.

Address:200 ANDERSON AVENUE

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Emergency Phone Num:(716)473-6650

CAGE:FO626

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:DAVIS-HOWLAND OIL CORPORATION

Address:200 ANDERSON AVENUE

City:ROCHESTER

State:NY

ZIP:14607

Phone:(716) 473-6650

CAGE:FO626

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATES,CLAY TREATED HEAVY NAPHTHENIC

CAS:64742-44-5

RTECS #:SE7449700

Fraction by Wt: 100%

A

CGIH TLV:5MG/CUM (OIL MIST)

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT >5G/KG;PRACTICALLY NON-TOX
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:ACUTE: EYE/SKIN:BELIEVED TO BE
MINIMALLY IRRITATING;INHALATION:BELIEVED TO BE MINIMALLY IRRITATING
IF NOT IN EXCESS OF PERMISSIBLE CONCENTRATIONS. CHRONIC:NOT
DETERMINED.
Effects of Overexposure:NONE EXPECTED OTHER THAN POSSIBLE MINIMAL
|
RRITATION.
Medical Cond Aggravated by Exposure:NONE NOTED.

=====
===== First Aid Measures =====

First Aid:EYES: AS WITH MOST FOREIGN MATERIALS,SHOULD EYE CONTACT
OCCUR,FLUSH EYES WITH PLENTY OF WATER;SKIN: REMOVE CONTAMINATED
CLOTHING.WASH WITH SOAP AND WATER;INHALATION: REMOVE TO FRESH
AIR;INGESTION: PRA CTICALLY NON-TOXIC.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:355F,179.8C
Extinguis
hing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WTR OR FOAM MAY CAUSE FROTHING.USE WTR TO COOL
FIRE EXPOSED CONTAINERS.IF SPILL HAS NOT IGNITED,USE WTR SPRAY TO
DISPERSE VAPORS AND TO PROVIDE PERSONNEL PROTEC
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. WIPE UP OR ABSORB ON SUITABLE
MATERIAL AND SHOVEL UP IN SUITABLE DISPOSAL CONTAINERS.

=====
===== Han
dling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES
SHOULD BE MAINTAINED.PERIODS OF HIGH TEMPS SHOULD BE
MINIMIZED.WATER CONTAMINATION SHOULD BE AVOIDED.
Other Precautions:NONE NOTED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF EXPOSURES ARE WITHIN
PERMISSIBLE CONCENTRATIONS. OTHERWISE,NIOSH APPROVED RESPIRATOR.
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUAT

E VENT.

Protective Gloves:AS REQUIRED

Eye Protection:CHEM SPLASH GOGGLES

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Work Hygienic Practices:CLEAN EXPOSED SKIN SEVERAL TIMES DAILY WITH SOAP & WATER.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.91

Viscosity:64.5 CST@104F

Appearance and Odor:PALE LIQUID

===== Stability and Reactivity Data =====

Stability Indicato

r/Materials to Avoid:YES

NONE NOTED

Stability Condition to Avoid:NONE NOTED

Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO*2, H*2O.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated f

or use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.