

3M COMPANY, AC & S DIVISION -- SCOTCHGRIP PLASTIC ADHESIVE 2262(NEW FORM.) --
8040-00-601-9805

===== Product Identification =====

Product ID:SCOTCHGRIP PLASTIC ADHESIVE 2262(NEW FORM.)

MSDS Date:01/01/1985

FSC:8040

NIIN:00-601-9805

MSDS Number: BFHQR

=== Responsible Party ===

Company Name:3M COMPANY, AC & S DIVISION

Address:3M CTR 224-2S-25

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Ph

one Num:612-733-1341

Emergency Phone Num:612-733-1341

CAGE:04963

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/I

Information on Ingredients =====

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 70%
OSHA PEL:1000PPM
ACGIH TLV:750PPM/1000STEL;9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TETRAHYDROFURAN (SARA III)
CAS:109-99-9
RTECS #:LU5950000
OSHA PEL:200 PPM/250 STEL
ACGIH TLV:200 PPM/250STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:MALIC ACID (WHEN COMBINED WITH ALL INGREDIENTS EXCEPT
ACETONE & TETRAHYDROFURAN = 26%)
CAS:6915-15
-7
RTECS #:ON7175000

Ingred Name:ACRYLATE TERPOLYMER

Ingred Name:BUTADIENE/ACRYLONITRILE COPOLYMER

===== Hazards Identification =====

Effects of Overexposure:EYES: IRRIT. SKIN: MAY DEFAT. INH:
IRRIT,NAUS,DIZZ,NARCOS. ING: IRRIT,NAUS,VOMIT,DIARR.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN. SKIN:
WASH WITH SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION
:
CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:OF; -18C, (COC)
Lower Limits:2.6
Upper Limits:12.8
Extinguishing Media:CO*2, FOAM, DRY CHEMICALS
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH ALL IGNITION SOURCES. COLLECT
SPILLED MATERIAL. CLEAN UP RESIDUE & PLACE IN CLOSED METAL
CONTAINER.

=====

==== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. USE IN WELL VENTILATED AREAS. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:VAPORS OF THIS PRODUCT CAN EASILY BE IGNITED & MAY BURN EXPLOSIVELY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPRVD ORGANIC VAPOR MASK IF VENT INADEQUATE (MFR).

Ventilation:LOCAL EXHAUST RECOMMENDED TO KEEP BELOW TLV.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

CONTAINER SIZE: 7.5 OZ CAN. OTHER INGREDIENTS: WOOD ROSIN DERIVATIVE & WATER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:132F; 56C

Vapor Pres:180

Vapor Density:2

Spec Gravity:0.89

Evaporation Rate & Reference:1.9 (ETHER= 1)

Solubility in Water:SLIGHT

Appearance and Odor:CLEAR LIQUID, KETONE ODOR

Percent Volatiles by Volume:76

=====

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:C, N & H UPON THERMAL DECOMP OR BURNING.

===== Disposal Considerations =====

Waste Disposal Methods:MANUFACTURER RECOMMENDS INCINERATION. DO NOT LANDFILL. DISCARDED & OFF SPECIFICATION WASTE NUMBER OF D-001 AS DEFINED IN 40 CFR, PART 261. DISPOSAL METHODS MUST BE IAW FEDERAL, STATE & LOCAL REGULATIO NS.

Disclaimer

(provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.