View NSN Online: https://aerobasegroup.kr/nsn/6850-00-602-2347

MILLER-STEPHENSON CHEMICAL CO INC. -- MS-190HD HEAVY DUTY FLUX REMOVER 6850-00-602-2347

============= Product Identification =================

Product ID:MS-190HD HEAVY DUTY FLUX REMOVER

MSDS Date:01/01/1989

FSC:6850

NIIN:00-602-2347

MSDS Number: BFHRH === Responsible Party ===

Company Name: MILLER-STEPHENSON CHEMICAL CO INC.

Address: GEORGE WASHINGTON HIGHWAY

Box:950

City:DANBURY

State:CT ZIP:06810 Country:US

Info

Phone Num:203-743-4447

Emergency Phone Num:203-797-2212 OR 203-743-4447

Preparer's Name: JANET STEPHENS

CAGE:18598

=== Contractor Identification ===

Company Name: MILLER-STEPHENSON CHEMICAL CO INC Address: 55 BACKUS AVE/GEORGE WASHINGTON HWY

Box:950

City:DANBURY

State:CT ZIP:06810 Country:US

Phone:203-743-4447

CAGE:18598

======= Composition/Information on Ingredients ========

Ingred Name: METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000 Fraction by Wt: 44.0% OSHA PEL:500 PP M/C,1000; Z2 ACGIH TLV:50 PPM, A2; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA

III)

CAS:76-13-1

RTECS #:KJ4000000 Fraction by Wt: 36.0%

OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9192

Ozone Depleting Chemical:1

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III)

CAS:75-71-8

RTECS #:PA8200000 Fraction by Wt: 20.0% OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9192

EPA Rpt Qty:5000 LBS DOT Rpt Qtv:5000 LBS Ozone Depleting C

hemical:1

LD50 LC50 Mixture:LD50 ORAL RAT- 5000 MG/KG(METH. CHLOR)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES, SKIN AND

RESPIRATORY TRACT: CAUSES

SUFFOCATION, HEADACHE, GIDDINESS, NARCOSIS, CARDIAC

IRREGULARITIES; METHYLENE CHLORIDE IS METABOLIZED TO CO, RAISING

THE/CARBOXY HEMOGLOBIN=CARBONM

ONOXIDE: DRYING OF

SKIN, DERMATITIS; SYSTEMIC EFFECTS.

Explanation of Carcinogenicity:NTP LISTS METHYLENE CHLORIDE AS A KNOWN CARCINOGEN. THIS IS ONE COMPONENT OF THE MIXTURE.

Effects of

Overexposure:SUFFOCATION,LI-HEAD,GIDD,SHORTNESS/BREATH,NAR,CARD IRREG, UNCONSCIOUSNESS OR DEATH. CO POISONING.

Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY BE WORSEN.

First Aid:INHAL:RMV TO FRESH AIR. IF NOT

BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE: IMMED FLUSH W/PLENTY OF WATER. SKIN: WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN. Flash Point:NONE (TOC) Lower Limits: NONFLAMMABLE Upper Limits: NONFLAMMABLE Extinguishing Media: USE MEDIA SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard: MAY VENT, RUPTURE, BURST AT ELEVATED TEMPERATURES. HIGH HEAT CAUSES DECOMPOSITION-EMISSION OF HALOGENS ======== Accidental Release Measures =========== Spill Release Procedures: VENTILATE AREA. REMOVE OPEN FLAMES OR RED HOT SURFACES. ALLOW TO EVAPORATE. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. \_\_\_\_\_ === Handling and Storage =========== Handling and Storage Precautions: DO NOT STORE NEAR SOURCES OF HEAT, IN DIRECT SUNLIGHT OR WHERE TEMPERATURE EXCEEDS 120F. Other Precautions: DO NOT SPRAY LIQUID ON SKIN. DO NOT PUNCTURE OR DAMAGE CONTAINERS. ROTATE STOCK TO SHELF LIFE OF ONE YEAR. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NONE NORMALLY REQUIRED. SCBA FOR LG AMTS. Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV. Protective Glo ves:RUBBER Eye Protection: SAFETY GLASSES OR GOGGLES Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS & LEGS. Work Hygienic Practices: USE NORMAL CHEMICAL HYGIENE PRACTICE. DO NOT USE IN ENCLOSED AREA; ASPHYRIATION HAZARD Supplemental Safety and Health ========= Physical/Chemical Properties =========== HCC:V2 Boiling Pt:B.P. Text:97.7F,36.5C Vapor Pres:500 Vapor Density:2.7

Spec Gravity:1.42 pH:7.0

Evaporation Rate & Evaporation R

Solubility in Wate

## r:NEGLIGIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID WITH SOLVENT ODOR Percent Volatiles by Volume:100

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN,BE, ETC.
Stability Condition to Avoid:SPRAYING NEAR OPEN FLAMES OR RED HOT SURFACES.

Hazardous Decomposition Products:HYDROCHLORIC/HYDROFLUORIC ACIDS, POSSIBLE CARBONYL HALIDES.

| ======================================= | <b>Disposal Considerations</b> |
|---|--------------------------------|
| ==============                          |                                |

Waste Disposal Methods:ALLOW TO EVAPORATE. DO NOT PUNCTURE OR INCINERATE AEROSOL CANS. DISPOSAL SERVICE TO LANDFILL IS APPROPRIATE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizin g this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.