

PRATT AND LAMBERT INC -- 742426 ENAMEL ALKYD GLOSS GREEN 14158 -- 8010-00-616-7689  
===== Product Identification =====

Product ID:742426 ENAMEL ALKYD GLOSS GREEN 14158

MSDS Date:01/01/1987

FSC:8010

NIIN:00-616-7689

MSDS Number: BFHZS

=== Responsible Party ===

Company Name:PRATT AND LAMBERT INC

Address:16116 E 13TH ST

Box:2153

City:WICHITA

State:KS

ZIP:67201

Country:US

Info Phone Num:316-733-1361

Em

ergency Phone Num:716-873-6000 DOT EMER 8002553924

CAGE:61196

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:\*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

ACGIH TLV:100PPM

Ingred Name

:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:IRON OXIDE

CAS:1332-37-2

RTECS #:NO7380000

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9192

===== Hazards Identification =====

Effects of Overexposure:SWALLOW:GASTROINTESTINALIRRIT,  
NAUSEA,VOMIT,DIARRHEA.MATRL INTO LUNGS CA  
N CAUS FATAL PNEUMONITIS

===== First Aid Measures =====

First Aid:IF SWALLOW:INDUCE VOMITING IMMEDIATELY BY GIVING 2 GLASSES OF WATER &  
STICKING FINGER DOWN THROAT.CONSULT DR OR POISON CONTROL CENTER  
IMMEDIATELY. (NEVER GIVE ANYTHING BY MOUTH AN UNCONSCIOUS PERSON)  
INHAL:REMOV TO FRESH AIR IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:80F 27C

Extinguishing Media:CL B FIRES:CO\*2, DRY CHEMICAL OR ALCOHOL FOAM.

Fire

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. WATER TO COOL  
EXPOSED CONTAINERS

Unusual Fire/Explosion Hazard:CONTAINERS TIGHTLY CLOSED.ISOLATE FROM  
HEAT,ELECTRICAL EQUIPMENT,SPARKS & FLAME.MAY EXPLODE IF EXPOSED TO EXTREME  
HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS AWAY.ELIMINATE ALL IGNITION  
SOURCES (FLAMES,HOT SURFACES, & SOURCES OF ELECTRICAL,STATIC OR  
FRICTIONAL SPARKS).DIKE & CONTAIN SPILL WITH INERT MATERIAL(E.G. SAND,

EARTH).TRANSFR LIQDS TO COVE R METAL CONTNR F/RECOVRY OR  
DISPOSAL,REMOV W/INERT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOV 120F.STORE LG  
QUANTITIES IN COMPLIANCE W/OSHA 29CFR1910.105.

Other Precautions:DO NOT TAKE INTERNALLY.CLOS CONTNR AFTER USE. EMPTY  
CONTNRS MUST NOT BE WASHED & RE-USED F/ANY PURPOSE.CONTNRS MUST BE  
GROUNDED & BONDED TO RECEIVING CONTNR.DO NOT WELD,BRAZE,CUT ON  
EMPTY CONT

=====  
===== Exposure Controls/Personal Protection =====

Ventilation:LOC EXHAUST VENTILAT TO REMOV DECOMPOSITION BY PRODUCTS.

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACLES AT ALL

Other Protective Equipment:NOT LIKELY TO BE NEEDED.

Supplemental Safety and Health

\*INDICATES SOLVENT. HAZ. DECOMP.PRODUCTS: IN ADDIT, OXIDES OF LEAD MAY  
BE GENERATED.

=====  
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:193-395F

Vapor Densit

y:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:60

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS.

Hazardous Decomposition Products:BURNING,HEAT BY WELDING,CUTTING WILL  
PROD SMOK,CO & CO\*2.(SU

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORD W/FED. STATE & LOC LAWS.CONTAM  
ABSORBANT MAY BE D

ISPOS IN EPA-PERMITTED HAZARDOUS WASTE LANDFILLS.

INCINERATE ONLY IN EPA PERMITTED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS. OBSERVE PRECAUTIONS FOR FLAMMABLE MATERIAL DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.