

ROYAL LUBRICANTS CO,INC -- ROYCO 37 -- 9150-00-616-9020

===== Product Identification =====

Product ID:ROYCO 37

MSDS Date:01/01/1987

FSC:9150

NIIN:00-616-9020

MSDS Number: BFJBH

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO,INC

Emergency Phone Num:201-887-7410

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

City:EAST

HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

===== Composition/Information on Ingredients =====

Ingred Name:SOLVENT REFINED,HYDROTREATED PETROLEUM DISTILLATES(CAS#
64742-46-7,64742-53-6,64742-56-9)

CAS:64742-56-9

RTECS #:PY8039500

Fraction by Wt: 87%

Ingred Name:CALCIUM HYDROXYSTEARATE CAS# 3159-62-4

Fraction by Wt: 11%

===== Hazards Identification =====

Effects of Overexposure:EYE:MILD IRRIT.INHAL,INGEST:N

/K.SKIN:INJECT IN
SKIN DURING HI PRESS USE CAUSE LOCAL NECROSIS.

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/ WATER FOR 15 MIN.CALL MD.INHAL:REMOVE TO FRESH
AIR & GIVE O*2.CALL MD.INGEST:DO NOT INDUCE VOMIT.GET MED
ADVICE.SKIN:REMOVE CONTAM CLOTHING & WIPE OFF EXCESS.USE H*2OLESS
HAND CLEANER &/O R SOAP & WATER.CLEAN CLOTHING BEFORE REUSE.SUP DAT

=====
Fire Fighting Measures
=====

Flash Point:305
F,152C PMCC
Extinguishing Media:WATER FOG,DRY CHEM,CO*2.DO NOT USE DIRECT STREAM OF
WATER.
Fire Fighting Procedures:USE NIOSH/MSHA APPVD SCBA IN CONFINED FIRE
SPACE.
Unusual Fire/Explosion Hazard:PRODUCT WILL FLOAT AND CAN BE IGNITED ON
SURFACE OF WATER.COOL FIRE EXPO CONTR,SURROUND EQUIP W/ WAT

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP EXCESS GREASE.CLEAN AREA W/
APPROPRIATE CLEANER.CLASSED AS OIL UNDER SECTION 311 OF
THE CLEAN
WATER ACT.SPILL ENTERING SURFACE WATERS DIRECTLY OR THROUGH SEWERS
THAT CAUSE SHEEN MUST BE REPOR TED TO THE NATL RESPONSE
CTR.800-421-8802.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL,DRY PLACE W/ ADEQUATE
VENT.KEEP AWAY FROM OPEN FLAMES AND HI TEMP.MINIMIZE SKIN
CONTACT.WASH W/ SOAP & WATER BEFORE EAT,DRINK,SMOKE.
Other Precautions:WASH W/ SOAP & WATER BEFORE USING TOILET.DISPOSE OF
CO
NTAMINATED LEATHER ARTICLES THAT CAN NOT BE DECONTAMINATED.CALLED
MFG FOR INFORMATION ON EMERGENCY #,VENT & EYE PROTECTION.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:N/R(PER MFR)
Ventilation:N/R(PER MFR)
Protective Gloves:OIL RESISTANT
Eye Protection:GOGGLES
Other Protective Equipment:CLOTHING TO MINIMIZE SKIN CONT
Supplemental Safety and Health
MSDS PREP:86178.FIRST AID:SKIN:IF IRRIT PERSISTS,CALL MD PROMPTLY TO
PREVENT SERIOUS DAMAGE.D

O NOT WAIT FOR SYMPTOMS TO DEVELOP.NOTE TO
MD;EMESIS INDUCTION NOT NEC FOR MOST OILS & GREASES.

===== Physical/Chemical Properties =====

HCC:V6

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK AMBER,SMOOTH,SLIGHT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT,OPEN FLAME AND CONTACT WITH STRONG
OXIDIZING AGENTS.

Hazardous De

composition Products:MIX OF AIRBORN SOLID,LIQ
PARTICLES,GASES.CO*2,INK ORG COMPDS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY
IN COMPLIANCE W/ LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expr

essly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.