

AMERICAN WRITING INK CO, INC -- O-T-620,TYPE 3 -- 8010-00-616-9588

===== Product Identification =====

Product ID:O-T-620,TYPE 3

MSDS Date:01/01/1985

FSC:8010

NIIN:00-616-9588

MSDS Number: BFJDG

==== Responsible Party ===

Company Name:AMERICAN WRITING INK CO, INC

Emergency Phone Num:617-482-9167

CAGE:82956

==== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT S

TREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 94.5%

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

===== Hazards Identification =====

Effects

of Overexposure:ANESTH EFFECTS, SKIN/EYE IRRIT, CARDIAC IRRIT

===== First Aid Measures =====

First Aid:FLUSH SKIN/EYES W/WATER. ARTIF RESP, REMOVE TO FRESH AIR.
INGEST: INDUCE VOMIT, CALL MD.

===== Fire Fighting Measures =====

Lower Limits:8.0

Upper Limits:10.5

Extinguishing Media:WATER-FOG

Fire Fighting Procedures:SELF-CNTND RESP APPARATUS

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release M

easures =====

Spill Release Procedures:USE PROPER PROT EQUIP. MOP UP IMMED. REMOVE TO
OUTDOORS. LG SPILLS: EVACUATE AREA, CONTAIN LIQ & TRANSFER TO
CLOSED METAL CNTNRS. KEEP OUT OF WATER SUPPLY.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY, COOL AREA

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CNTND BRTHNG APPARATUS

Ventilation:GEN OR LOCAL

Eye P

rotection:GLASSES

Other Protective Equipment:EYEWASH STATIONS/SAFETY SHOWERS READILY
AVAILABLE

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt:B.P. Temp:165F, 74C

Vapor Pres:100

Vapor Density:4.55

Spec Gravity:1.319

Solubility in Water:NEGLIGIBLE

Appearance and Odor:COLORLESS LIQ

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YE

S

AVOID WATER

Stability Condition to Avoid:OPEN FLAMES, HI-TEMP AREAS

Hazardous Decomposition Products:EVOLUTION OF HYDROGEN CHLORIDE FROM
THERMAL DEGRADATION

===== Disposal Considerations =====

Waste Disposal Methods:SEND SOLVENT TO RECLAIMER

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.