

EASTMAN KODAK COMPANY -- KODAK RAPID FIXER, PART A -- 6750-00-619-9946

=====  
Product Identification  
=====

Product ID:KODAK RAPID FIXER, PART A  
MSDS Date:04/08/1991  
FSC:6750  
NIIN:00-619-9946  
Kit Part:Y  
MSDS Number: BFJJN  
==== Responsible Party ====

Company Name:EASTMAN KODAK COMPANY  
Address:343 STATE STREET  
City:ROCHESTER  
State:NY  
ZIP:14650  
Country:US  
Info Phone Num:716-722-5151  
Emergency Phone Num:7  
16-722-5151  
CAGE:19139  
==== Contractor Identification ====  
Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS  
Address:343 STATE ST  
Box:City:ROCHESTER  
State:NY  
ZIP:14650-1115  
Country:US  
Phone:716-722-5151/(800) 242-2424  
CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 40-50%  
Other REC Limits:NONE SPECIFIED

Ingred Name:AMMONIUM THIOSULFATE  
CAS:7783-18-8  
RTECS #:XN6465000  
Fraction by Wt: 40-45%

Other REC Limits:NONE SPECIFIED

Ingred Name:SODIUM ACETATE  
CAS:126-96-5  
RTECS #:AJ4375000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE SPECIFIED

Ingred Name:BORIC ACID  
CAS:10043-35-3  
RTECS #:ED4550000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ACETIC ACID (SARA III)  
CAS:64-19-7  
RTECS #:AF1225000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:10 PPM  
ACGIH TLV:10 PPM/15 STEL; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION, SKIN, AND INGESTION-  
EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES- NO  
SPECIFIC HAZARD KNOWN.  
Effects of Overexposure:EYES- MAY CAUSE TRANSIENT IRRITATION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures =====  
==

First Aid:INHALATION- IF SYMPTOMATIC, REMOVE TO FRESH AIR. EYES-  
IMMEDIATELY FLUSH WITH PLENTY OF WATER. SKIN- WASH AFTER EACH  
CONTACT. INGESTION- DRINK 1-2 GLASSES OF WATER. GET MEDICAL  
ATTENTION FOR ANY ROUTE OF EXPOSURE IF IRRITATION PERSISTS.

=====  
Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:USE APPROPRIATE AGENT FOR SURROUNDING FIRE.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/E

xplosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE  
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS OF  
WATER.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED AND AWAY  
FROM STRONG ALKALI.

Other Precautions:NONE

===== Exposure Controls/  
Personal Protection =====

Respiratory Protection:SUPPLEMENTARY RESPIRATORY PROTECTION MAY BE  
NEEDED IN SPECIAL CIRCUMSTANCES.

Ventilation:GOOD VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH HANDS AFTER CONTACT WITH THIS MATERIAL.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:C3

Boiling Pt:B.P. Text:212F,  
100C

Vapor Pres:18 MM HG

Vapor Density:0.6

Spec Gravity:1.318

pH:5.0

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR LIGHT YELLOW SOLUTION. SLIGHT SULFUR DIOXIDE  
AND ACETIC ACID ODOR.

Percent Volatiles by Volume:64

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ALKALI.

Stability Condition to Avoid:EXTREME TEMPERATURES.

Hazardous Decomposition Products:OXIDES OF NITROGEN, SULFUR AND AMMONIA  
GAS.

=====

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.