

BUEHLER LTD -- 60-3250-006/128 AUTOMET LAPPING OIL -- 9150-00-631-0454

=====  
Product Identification  
=====

Product ID:60-3250-006/128 AUTOMET LAPPING OIL

MSDS Date:03/21/1990

FSC:9150

NIIN:00-631-0454

MSDS Number: BFJNM

=== Responsible Party ===

Company Name:BUEHLER LTD

Address:41 WAUKEGAN RD

Box:1

City:LAKE BLUFF

State:IL

ZIP:60044-1687

Country:US

Info Phone Num:708-295-6500 / FAX 708-295-7979

Em

ergency Phone Num:708-295-6500

Preparer's Name:T.DERAM

CAGE:09410

=== Contractor Identification ===

Company Name:BUEHLER LTD.

Address:41 WAUKEGAN RD.

Box:City:LAKE BLUFF

State:IL

ZIP:60044-1687

Country:US

Phone:847-295-8500

CAGE:09410

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOLVENT REFINED PARAFFINIC OIL

CAS:64742-65-0

Fraction by Wt: 60.0%

Other REC Limits:5MG/CUM

Ingred Name:MINERAL SEAL OIL

CAS:64741-44-2

Fraction by Wt: 35.0%

ACGIH TLV:500 PPM

Ing

red Name:GREEN DYE (128-80-3 & 97-56-3)

CAS:128-80-3

Fraction by Wt: 0.01%

Ingred Name:EXTRA LARD OIL

CAS:8012-28-2

Fraction by Wt: 10.0%

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:MAY CAUSE SLIGHT IRRITATION OF EYES & SKIN;VAPORS INHALATION MAY CAUSE NAUSEA & BREATHING DIFFICULTIES.

Medical Cond Aggravated by Exp

osure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH IMMED W/COOL CLEAN WATER FOR 15MINS. SKIN:REMOVE BY WIPING. WASH W/MILD SOAP & WATER. INHAL:REMOVE TO FRESH AIR. IF BREATHING IS STOPPED, START ARATIFICIAL RESPIRATION. NEVER GIVE ANYTHING B Y MOUTH TO AN UNCONSCIOUS PERSON. IF IRRITATION DEVELOPES OR PERSISTS SEE A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash

Point Method:COC

Flash Point:280F,138C

Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICALS, WATER FOG OR MIST.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS. KEEP EXPOSED CONTAINERS COOL.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH INERT ABSORBING MATERIAL (SAND,EARTH). COLLECT IT IN A CONTAINER FOR LATER DISPOSAL.

Ne

utralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY AREA. KEEP  
CONTAINERS CLOSED WHEN NOT IN USE. STORE AT TEMPERATURES BELOW  
130F.

Other Precautions:AVOID SPARKSAND OPEN FLAME.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC  
VAPORS IF ABOVE TLV OR PEL

Ventilation:USE LOCAL  
EXHAUST TO KEEP VAPOR CONCENTRATIONS BELOW 5MG/M3  
(MIST).

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:APRON,EYE WASH.

Work Hygienic Practices:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE  
VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

MSDS RECEIVED BY DGSC:NOV 20,1987.

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:500F/260C

Vapor Pres:>1.0(AIR=1

Vapor Density:>1

Spec Gravity:

0.855

Solubility in Water:NEGLIGIBLE

Appearance and Odor:DARK GREEN LIQUID,MILD PETROLEUM ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AND REDUCING AGENTS.

Stability Condition to Avoid:AVOID TEMPERATURE OVER 130F

Hazardous Decomposition Products:OXIDES OF CARBON,SULFUR,NITROGEN

Conditions to Avoid Polymerization:HEAT & OPEN FLAMES

=====  
===== Disposal Considerations =====

Waste D

Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.