

STAUFFER CHEM CO. -- SODIUM SULFITE, ANHYDROUS -- 6750-00-664-2100

===== Product Identification =====

Product ID:SODIUM SULFITE, ANHYDROUS

MSDS Date:01/01/1987

FSC:6750

NIIN:00-664-2100

MSDS Number: BFKMK

=== Responsible Party ===

Company Name:STAUFFER CHEM CO.

Emergency Phone Num:203-226-6602

CAGE:GO854

=== Contractor Identification ===

Company Name:AKZO NOBEL CHEMICALS INC

Address:300 S. RIVERSI

DE PLAZA

Box:City:CHICAGO

State:IL

ZIP:60606-6613

Country:US

Phone:312-906-7500 TECH: 800-828-792

CAGE:97854

Company Name:STAUFFER CHEM CO

CAGE:GO854

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM SULFITE,ANHYDROUS

RTECS #:WE2160000

Fraction by Wt: 95%

ACGIH TLV:UNK

Ingred Name:INERTS

Fraction by Wt: 5%

===== Hazards Identification =====

Effects of Overexposure:NONE NOTED. ACUTE ORAL LD50 IS > 1000 MG/KG IN
MALE

RATS.

===== First Aid Measures =====

First Aid:INGESTION:DILUTE W/WATER & INDUCE VOMITING.CALL A
PHYSICIAN.SKIN CONTCT:WASH W/WATR F/AT LEAST 15 MINUTES.CALL A
PHYSICIAN.EYE CONTACT:WASH W/WATER F/AT LEAST 15 MIN.CALL A
PHYSICIAN.

===== Fire Fighting Measures =====

Fire Fighting Procedures:STANDARD EQUIPMT WHEN FIGHTING FIRE INVOLVING
THIS MATERIAL
Unusual Fire/Explosion Hazard:NON-COMBUSTIBLE.MAY GIVE OF
F SULFUR
DIOXIDE UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP & PLACE IN A SEALED CONTNR.

===== Handling and Storage =====

Handling and Storage Precautions:CONTNRS SHOULD BE STORED IN A
COOL,DRY,WELL-VENTILATED AREA.EXERCISE DUE CAUTION TO PREVENT
DAMAGE TO OR LEAKAGE FROM THE CONTNR.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Ventilation:NORMAL GOOD VENTILAT IS ADEQUATE
Protective Gloves:RUBBER
Eye Protection:GOGGLES/SAFTY GLAS W/SHIE
Other Protective Equipment:NONE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS & MINERAL ACIDS
Stability Condition to Avoid:TEMPS APPROACHING 300F
Hazardous Decomposition Products:DECOMPO

SES TO SULFUR DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPRVD LANDFILL OR IN A MANNER
WHICH WILL NOT ADVERSELY AFFECT THE ENVIRONMENT.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disc

laims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.