

OCTAGON PROCESS INC. -- VV-L-825A,TYPE I. -- 9150-00-664-4449

=====  
Product Identification  
=====

Product ID:VV-L-825A,TYPE I.

MSDS Date:01/01/1987

FSC:9150

NIIN:00-664-4449

MSDS Number: BFKPF

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Emergency Phone Num:(201)945-9400

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDG

EWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LUBRICATING OIL (ACGIH TLV 5MG/CUM AS OIL MIST)

Fraction by Wt: 100%

ACGIH TLV:NOT SPECIFIED

=====  
Hazards Identification  
=====

Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO HEALTH.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/COPIOUS A

MOUNT OF WATER;SKIN:WASH WITH SOAP &

WATER;INHALE:REMOVE TO FRESH AIR,GIVE ARTIFICIAL RESPIRATION IF NEEDED;ING:INDUCE VOMITING,GET MED ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:350F(C.O.C.)

Lower Limits:UNKN

Upper Limits:UNKN

Extinguishing Media:ALCOHOL,FOAMMCO\*2,DRY CHEMICAL

Fire Fighting Procedures:COOL CONTR W. WATER. APPLY FROM DISTANCE. AVOID END OF TK.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY THE MFGR.

=====

=== Accidental Release Measures =====

Spill Release Procedures:CAN BE INCINERATED OR BURIED IN LANDFILL AREA  
ACCORDING TO LOCAL,STATE & FEDERAL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY PLACE.AVOID SKIN  
CONTACT DURING HANDLING.

Other Precautions:NONE SPECIFIED

===== Exposure Controls/Personal Protection =====

Respiratory Protection:0001NONE SPECIFIED

Ventilation

:MECHANICAL (GENERAL/LOCAL EXHAUST)

Protective Gloves:RUBBER/PLASTIC

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS DATED 12-13-85.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:550F

Spec Gravity:0.96

Solubility in Water:INSOLUBLE

Appearance and Odor:AMBER LIQUID CHARACTERISTIC PETROLEUM ODOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED

Stability Condition to Avoid:NONE SPECIFIED

Hazardous Decomposition Products:NOT SPECIFIED

===== Disposal Considerations =====

Waste Disposal Methods:CAN BE INCINERATED OR BURIED IN LANDFILL AREA  
ACCORDING TO LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of D

efense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.