

DELTA PETROLEUM CO.,INC. -- DEXRON II;HYDRAULIC FLUID,AUTOMATIC TRANSMN --  
9150-00-698-2382

===== Product Identification =====

Product ID:DEXRON II;HYDRAULIC FLUID,AUTOMATIC TRANSMN

MSDS Date:11/01/1985

FSC:9150

NIIN:00-698-2382

MSDS Number: BFLXH

=== Responsible Party ===

Company Name:DELTA PETROLEUM CO.,INC.

Box:10397

City:JEFFERSON

State:LA

ZIP:70181-0397

Country:US

Info Phone Num:504-833-2861

Emergency Phone Num:504-833-2861

Preparer's Name:J.R.SWOAP,TECH.DIRECTOR

CAGE:7A348

=== Contractor Identification ===

Company Name:DELTA PETROLEUM CO., INC

Address:10352 RIVER ROAD,

Box:10397

City:ST. ROSE

State:LA

ZIP:70087

Country:US

Phone:504-832-2732

CAGE:7A348

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Minumum % Wt:90.

Maxumum % Wt:95.

Other REC Limits:5MG/CUM,AA OIL MIST

OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name:ADDITIVE PACKAGE(CONTAINING N\*2,P,S)  
Minumum % Wt:5.  
Maxumum % Wt:10.

===== Hazards Identification =====

LD50 LC50 Mixture:5G/KG,ORAL RAT AND 3G/KG DERMAL RABBIT  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND  
RESPIRATORY TRACT. CHRONIC:NO DATA IS GIVEN  
Effects of Overexposure:MAY CAUSE IRRITATION OF EYES, SKIN AND  
RE  
SPIRATORY OR G.I. TRACT.  
Medical Cond Aggravated by Exposure:NO DATA IS AVAILABLE.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER; CALL A PHYSICIAN. SKIN:WASH  
WITH SOAP & WATER. INHALATION:REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:=176.7C, 350.F  
Extinguishing Media:CO\*2,FOAM,DRY CHEMICAL  
Fire Fighting Procedures:NONE NOTED;USE NIOSH/MSHA APPRO  
VED SCBA IN AN  
ENCLOSED AREA.  
Unusual Fire/Explosion Hazard:NONE NOTED;USE REASONABLE CARE.

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;WIPE UP OR  
ABSORB ON SUITABLE INERT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED  
AREA.KEEP AWAY FROM HEAT,OPEN FLAMES AND ELECTRIC A

RCHES OR  
IGNITION SOURCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IN CASE OF ADEQUATE VENTILATION.  
Ventilation:GENERAL/LOCAL TO MAINTAIN ADEQUATE VENTILATION.  
Protective Gloves:IMPERVIOUS  
Eye Protection:CHEMICAL GOGGLES  
Other Protective Equipment:FULL SKIN AND EYES PROTECTION.  
Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN.WASH THOROUGHLY  
AFTER EACH USE.  
Supplemental Safety and Health  
MSDS RECEIVED BY DGSC-SLM:4 MA  
RCH, 1988.

===== Physical/Chemical Properties =====

HCC:V6  
Spec Gravity:0.8681  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:RED LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE NOTED  
Stability Condition to Avoid:EXTREME HEAT,OPEN FLAME  
Hazardous Decomposition Products:CO,CO\*2,ALDEHYDE & KETONE,COMBUSTION  
PRODUCTS OF N\*2 AND SULFUR

===== Disposal Considerations ====  
=====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH  
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek co

mpetent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.