View NSN Online: https://aerobasegroup.kr/nsn/6685-00-741-2564 AC SPARK PLUG DIVISION, GENERAL MOTORS CORP -- 1507825 -- 6685-00-741-2564 ============= Product Identification ======================== Product ID:1507825 MSDS Date:01/01/1985 FSC:6685 NIIN:00-741-2564 MSDS Number: BFMWR === Responsible Party === Company Name: AC SPARK PLUG DIVISION, GENERAL MOTORS CORP Address:1300 N DORT HWY City:FLINT State:MI ZIP:48556 Country:US CAGE:61928 === Contractor Identification === Company Name :GENERAL MOTORS CORP AC SPARK PLUG DIV Address:1300 N DORT HWY Box:City:FLINT State:MI ZIP:48556 Country:US CAGE:70040 Company Name: GENERAL MOTORS CORP AC-DELCO DIV

Address:6060 W BRISTOL RD

Box:City:FLINT

State:MI ZIP:48554 Country:US

Phone:810-635-5905

CAGE:61928

======= Composition/Information on Ingredients ========

Ingred Name: RADIUM 226 (1.224UCI)

========== Hazards Identification ==============

Effects of Overexposure: HAZARD DEGREE DEPENDS ON THE TYPE

AND QUANTITY OF RADIATION. LATENT EFFECTS: SOMATIC/GENETIC DAMAGE.
======================================
First Aid:USE FIRST AID. CALL MEDICAL EMERGENCY CARE. REMOVE AND ISOLATE COMTAMINATED CLOTHING. SHOWER VICTIM WITH SOAP AND WATER. DETAIN PERSONNEL AND EQUIPMENT EXPOSED. ADVISE MEDICAL PERSONNEL THAT VICTIM MAY BE CONTAMINATED.
======================================
Extinguishing Media:EXTINQUISH WITH AGENT SUI TABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:SOME OF MATERIAL MAY BURN. CONTAINERS MAY EXPLODE IN HEAT OF FIRE.
======================================
Spill Release Procedures:HANDLE BROKEN DEVICE WITH GLOVES AND FORCEPS.
======================================
Handling and Storage Precautions:SHIELD ACCORDING TO EMI TTED RADIATION. PROTECT FROM FILM AND FILM PLATES. KEEP CONTAINERS CLOSED. STORE IN AREA FOR RADIOACTIVE MATERIALS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SELF CONTAINED BREATHING APPARATUS IF INVOLVED IN FIRE, OTHERWISE GAS MASK. Ventilation:PROVIDE MECHANICAL (GENERAL/LOCAL EXHAUST) VENTILATION TO MAINTAIN < TLV. Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES
Other Protective Equipment:EYE WASH STATION, APRONS, S

CLOTHING
Supplemental Safety and Health
SAFETY AND HEALTH DATA DEVELOPED BY DGSC-STH. ISOTOPE AND ACTIVITY
PROVIDED BY AC SPARK PLUG DIV OF GENERAL MOTORS THRU US ARMY
AVIATION SYSTEMS COMMAND. SEE DGSC-STH CASE NO. 85241V. ITEM
CONTAINS 1. 224 UCI OF RADIUM 226.
======================================
HCC:A3
HOC.AS
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
ICOLATE AND

PECIAL IMPERVIOUS

ISOLATE AND
SEGREGATE FROM MOST OTHER TYPE MATERIAL.
Hazardous Decomposition Products:DEPENDS ON CHEMICAL COMPOSITION;
FISSION PRODUCTS

======= Disposal Considerations ===========

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED IN ACCORDANCE WITH DOD REGULATIONS AND FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.