

SHELL OIL COMPANY (INLAND PACKAGING,INC. DISTRIBUT -- LCC GREASE 2 -- 9150-00-753-4649
===== Product Identification =====

Product ID:LCC GREASE 2

MSDS Date:01/01/1985

FSC:9150

NIIN:00-753-4649

MSDS Number: BFNBJ

=== Responsible Party ===

Company Name:SHELL OIL COMPANY (INLAND PACKAGING,INC. DISTRIBUT

Emergency Phone Num:(713)473-9461

CAGE:54527

=== Contractor Identification ===

Company Name:SHELL

OIL COMPANY

Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM HYDROCARBONS

Fraction by Wt: 83.0%

Ingred Name:FATTY OILS

Fraction by Wt: 15.0%

Ingred Name:CALCIUM SOAP THICKENER

Fraction by Wt: 2.0%

===== Hazards Identification =====

Effects of Overexposure:MAY CAUSE PULMONARY IRRITATION, DIZZINESS AND
NAUSEA,SKIN CONT MAY CAUSE DE

RMATITIS,AVOID SKIN CONT

=====
===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER,EYE:FLUSH WITH H*20 FOR 15 MIN
GET MED ATTENTION,DO NOT INDUCE VOMITING,IN CASE LARGE QUANTITIES
ARE INGESTED,GET MEDICAL ADVICE

=====
===== Fire Fighting Measures =====

Flash Point:188C PMCCBASEOIL

Extinguishing Media:H*20 FOG,DRY CHEM,CO*2,DONT USE DIRECT STREAM OF
WATER

Fire Fighting Procedures:USE PROP EQUIP IN CONFI
NE SPACE,WEAR SCBA,USE
H*20 TO COOL

Unusual Fire/Explosion Hazard:NONE UNUSUAL

=====
===== Accidental Release Measures =====

Spill Release Procedures:SCOOPUP EXCESS GREASE,CLEAN AREA WIT
APPROPRIATE CLEANER

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE WITH
ADEQUATE VENTILATION,KEEP AWAY FROM OPEN FLAMES AND HIGH
TEMPERATURE.

Other Precautions:AVOID SKIN CONTACT WASH WITH SO
AP AND WATER BEFORE

EATING DRINKING,SMOKING OR USING TOILET FACILITIES.LAUNDER
CONTAMINATED CLOTHES BEFORE REUSE DISPOSE OF CONTAMINATED CLOTHES
PROPERLY.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:OIL RESIT GLOVE

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:NONE SPECIALS

Supplemental Safety and Healt

h
MSDS SIGNED AND DTD 29 APRIL,1982.

===== Physical/Chemical Properties =====

HCC:V6
Solubility in Water:INSOLUBLE
Appearance and Odor:TAN,SMOOTH;SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:AVOID HEAT, OPEN FLAME AND CONTACT WITH
STRONG OXIDIZING AGE
Hazardous Decomposition Products:CO,NITROGE OXIDES,SULFUR OXIDE,PHOS
OXIDES,OTH ORG MAT ONCOM

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY
IN COMPLIANCE WIT LOCAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any perso
n utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.