

ESSEX CHEM CORP, SPECIALTY CHEM DIV -- PRO-SEAL 890 ACCLERATOR -- 8030-00-753-5007  
===== Product Identification =====

Product ID:PRO-SEAL 890 ACCLERATOR

MSDS Date:01/01/1987

FSC:8030

NIIN:00-753-5007

MSDS Number: BFNJK

=== Responsible Party ===

Company Name:ESSEX CHEM CORP, SPECIALTY CHEM DIV

Emergency Phone Num:213-537-7600

CAGE:KO319

=== Contractor Identification ===

Company Name:ESSEX CHEM COR

P, SPECIALTY CHEM DIV

Address:19451 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221-5713

Country:US

CAGE:KO319

Company Name:ESSEX CHEMICAL CORP PRO-SEAL DIV

Address:19451 SUSANA RD

Box:City:COMPTON

State:CA

ZIP:90221-5713

Country:US

Phone:310-537-7600

CAGE:83527

===== Composition/Information on Ingredients =====

Ingred Name:MANGANESE DIOXIDE (AS MANGANESE)

CAS:1313-13-9

RTECS #:OP0350000

OSHA PEL:C,5 MG/M3/1 FUME TWA

ACGIH TLV:5 MG/M3 DUST/1 FUME

===== Hazards

Identification =====

Effects of Overexposure:MAY CAUSE SKIN/EYE IRRIT UPON CNTCT

===== First Aid Measures =====

First Aid:WASH HANDS THOROUGHLY. FLUSH EYES W/WATER. COPIOUSLY. GIVE EMETIC IF INGESTED. CONSULT MD.

===== Fire Fighting Measures =====

Flash Point:345F ASTM D92-52  
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEM  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN SPILLAGE W/RAGS OR SWEEPING CMPD & SLVNTS, MFR REC.

===== Handling and Storage =====

Handling and Storage Precautions:WASH HANDS AFTER HANDLING. DO NOT INGEST. STORE IN CLOSED CNTNR AT 80F OR BELOW.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Ventilation:MECH, REC  
Protective Gloves:REC  
Eye Protection:REC  
Other P  
rotective Equipment:NONE  
Supplemental Safety and Health  
KEY1:N1

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:>645F  
Spec Gravity:2  
Appearance and Odor:BLACK PASTE, LITTLE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:STORE BELOW 80F

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL NONHAZ TRASH

DISPOSAL OR PREFERABLY BURN  
WASTE, MFR REC.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.