

VERTAC CHEM CORP DIV. OF CEDAR CHEM CORP -- MIL-P-26539 NTO -- 9135-00-754-2694
===== Product Identification =====

Product ID:MIL-P-26539 NTO
MSDS Date:11/01/1985
FSC:9135
NIIN:00-754-2694
MSDS Number: BFNNF
=== Responsible Party ===
Company Name:VERTAC CHEM CORP DIV. OF CEDAR CHEM CORP
Address:RIFLE RANGE ROAD
Box:3
City:VICKSBURG
State:MS
ZIP:39180
Info Phone Num:(601) 636-1231
Emergency Phone Num:(601) 636-1231
Preparer's Name:R.F.MARAMAN
CAGE:1K447
=== Contractor Identification ===
Company Name:VICKSBURG CHEMICAL CO
Address:4280 RIFLE RANGE ROAD
Box:821003
City:VICKSBURG
State:MS
ZIP:39182
Country:US
Phone:(601) 636-1232
CAGE:1K447

===== Composition/Information on Ingredients =====

Ingred Name:NITROGEN DIOXIDE (SARA III)
CAS:10544-72-6
RTECS #:QX1575000
Fraction by Wt: 99.5%
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: TISSUE DAMAGE/FATAL.
INHALATION: BRONCHIAL IRRITATION, PULMONARY EDEMA, CYANOSIS,
PULMONARY EDEMA/RESPIRATORY TRACT IRRITATION, COUGH, HEADACHE, LUNG
TISSUE DAMAGE, WEAKNESS, IRRITATION OF MUCOUS MEMBRANES, DYSPNEA,
MALAISE, PULMONARY IMPAIRMENT & NAUSEA. SKIN: BURNS & STAINS. EYE:
BLINDNESS & TISSUE DAM
AGE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: IRRITATION TO THE EYES, NOSE,
THROAT & MUCOUS MEMBRANES. SKIN: CORROSIVE, BURNS & IRRITATION.
EYES: SEVERE TISSUE DAMAGE/BLINDNESS.
Medical Cond Aggravated by Exposure:TARGET ORGANS: RESPIRATORY SYSTEM
LUNGS, CARDIOVASCULAR SYSTEM.

===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF RUNNING WATER,
INCLUDING UNDER EYELIDS. SKIN: REMOVE CON
TAMINATED CLOTHING UNDER
SAFETY SHOWER. WASH WITH SOAP AND RUNNING WATER FOR 15 MIN.
INHALATION: REMOVE TO FRESH AIR. CONTACT PHYSICIAN IN ALL CASES.

===== Fire Fighting Measures =====

Flash Point:NOT FLAMMABLE
Extinguishing Media:CO2, DRY CHEMICAL
Fire Fighting Procedures:SELF-CONTAINED AIR SUPPLY. ACID RESISTANT
CLOTHING. USE WATER TO COOL FIRE-EXPOSED CONTAINERS. MOVE AWAY FROM
FIRE RISK. STAY AWAY FROM ENDS OF TANKS.
Unusual Fire/Explosion
Hazard:CAN CAUSE FIRE ON CONTACT W/FLAMMABLE
MATERIAL. IF MAY IGNITE COMBUSTIBLE MATERIALS. MIXING W/FUELS MAY
CAUSE EXPLOSIONS & EXPLODE IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:STOP THE SOURCE. ISOLATE & REMOVE ANY LEAKING
CYLINDER. PLACE IN A HOOD. COVER LIQUID SPILL W/AN EXCESS OF SODIUM
BICARBONATE, MIX SPRAY W/WATER FROM AN ATOMIZER, THEN FLUSH MIX TO
A HOLDING TANK FOR DISPOSAL. DIKE FOR CONTAINMEN

T.
Neutralizing Agent:SODIUM BICARBONATE & LIMESTONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:TAKE BASIC PRECAUTIONS WHEN HANDLING & USING PRESSURIZED CYLINDERS. STORE THIS MATERIAL AWAY FROM SOURCES OF HEAT & TEMPERATURES >125F.

Other Precautions:USE ONLY IN WELL-VENTILATED AREAS. TAKE BASIC PRECAUTIONS WHEN HANDLING & USING PRESSURIZED CYLINDERS. CONTACT LENSES POSE A SPECIAL HAZARD. NOT CORROSIVE TO MILD STEEL WHEN DRY,
WILL REG. A NITRIC-AC ID RESISTANT STAINLESS STEEL WHEN WET.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF >TLV, USE AN APPROVED FULL-FACEPIECE RESPIRATOR. A SELF-CONTAINED OR AIR-SUPPLIED RESPIRATOR IS REQUIRED >50 PPM OR FOR UNKNOWN LEVELS. WEAR PROTECTIVE CLOTHING & GAS MASK.

Ventilation:PROVIDE LOCAL EXHAUST/MECHANICAL VENTILATION TO KEEP 125F.

Hazardous Decomposition Products:TOXIC FUMES OF NITROGEN OXIDES, NITRIC ACID/O
XIDES

=====
===== Disposal Considerations =====

Waste Disposal Methods:FOLLOW FEDERAL, STATE, & LOCAL REGULATIONS. THIS MATERIAL IS DESIGNATED AS A HAZARDOUS SUBSTANCE BY EPA. CLASS A POISON & CLASSED AS A HAZARDOUS SUBSTANCE, OXIDIZER, & POISON GAS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,
e
xpressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.