View NSN Online: https://aerobasegroup.kr/nsn/4940-00-756-1207 BERNZOMATIC -- BERNZOMATIC LEAKIDETECTOR -- 4940-00-756-1207 Product ID:BERNZOMATIC LEAKIDETECTOR MSDS Date:01/01/1987 FSC:4940 NIIN:00-756-1207 MSDS Number: BFNQF === Responsible Party === Company Name: BERNZOMATIC Address:OLNEY ST City:MEDINA State:NY ZIP:14103-1648 Country:US CAGE:LO909 === Contractor Identification === Company Name: BERNZOMATIC Address:OLNEY ST Box:City:MEDINA State:NY ZIP:14103-1648 Country:US CAGE:LO909 Company Name: BERNZOMATIC CORP Address: ONE BERNZ O MATIC DRIVE Box:City:MEDINA State:NY ZIP:14103-1648 Country:US Phone:716-798-4949 CAGE:70785 ======= Composition/Information on Ingredients ========

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000 OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIANT; 9192

======== Hazards Identification ===========

Effects of Overexposure: MEDICAL ANESTHETIC; MODERATE CONC

UNCON; CONTACT W/LIQ PROPANE MAY CAUSE A FRZNG BURN.
======================================
First Aid:REMOVE PERSON FROM CONTAMINATED AREA. NOTE: THE SMALL VOLUME OF GAS (7.5 CUFT) CONTAINED IN A CYLINDER SOULD MAKE OVEREXPOSURE VERY UNLIKELY.
======================================
Flash Point:-156F CC Lower Limits:2.1 Upper Limits:9.5 Extinguishing Media:STOP FLOW OF GAS Fire Fighting Procedures:COOL TANKS
Unusual Fire/Explosion Hazard:AUTO IGNIT TEMP 874F. MAY TRAVEL A CONSIDERABLE DISTANCE TO A SOURCE OF IGNIT & FLASH BACK.
======== Accidental Release Measures ==========
Spill Release Procedures:KEEP FROM SPARKS & FLAMES
=========== Handling and Storage =============
Handling and Storage Precautions:STORE AT ROOM TEMPERATURE BELOW 120F IN WELL VENTILATED, SPARK & FLAME FREE AREA. DOT: FLAMMABLE GAS.
====== Exposure Controls/Personal Protection =========
Supplemental Safety and Health ACCORDING TO ACGIH, A TLV MAY NOT BE RECOMMENDED FOR EACH SIMPLE ASPHYXIANT. THE LIMITING FACTOR IS THE AVAILABLE OXYGEN. THE MINIMAL OXYGEN CONTENT SHOULD BE 19.5% BY VOL AT NORMAL ATMOSPHERE
======== Physical/Chemical Properties =========
HCC:G2 Boiling Pt:B.P. Text:-44F Vapor Pres:197 Vapor Density:1.55 Spec Gravity:0.5100 Solubility in Water:NEGLIBLE Appearance and Odor:COLORLESS - ROTTEN EGG ODOR

W/AIR CAUSES

Percen

t Volatiles by Volume:100		

======= Disposal Considerations ===========

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/FED, STATE & LOCAL CODES

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.