View NSN Online: https://aerobasegroup.kr/nsn/6685-00-764-7129

RAYMARK CORP(RAYBESTOS MANHATTEN) -- FLUOROBESTOS SHEET -- 6685-00-764-7129

Product ID:FLUOROBESTOS SHEET

MSDS Date:01/01/1985

FSC:6685

NIIN:00-764-7129

MSDS Number: BFNVV === Responsible Party ===

Company Name: RAYMARK CORP(RAYBESTOS MANHATTEN)

Address:100 OAKVIEW DRIVE

City:TRUMBULL

State:CT

ZIP:06611-4724 Country:US CAGE:LO929

=== Contractor Identification ===

Company Name: RAYMARK CORP(RAYBESTOS MANHATTEN)

Address:100 OAKVIEW DRIVE

Box:City:TRUMBULL

State:CT

ZIP:06611-4724 Country:US CAGE:LO929

Company Name: RAYMARK INDUSTRIES INC CORPORATE HEADQUARTERS

Address:100 OAKVIEW DRIVE

Box:1050

City:TRUMBULL

State:CT

ZIP:06611-4724 Country:US CAGE:54201

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS (AMIANTHUS, OBSOLETE AMOSITE), (FOR OSHA PEL, SEE 29CFR 1910.1101)

CAS:1332-21-4

RTECS #:CI6475000

Fraction by Wt

ACGIH TLV:0.5 FIBERS/CC; A1;89 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB
Ingred Name:TETRAFLUOROETHYLENE RESIN Fraction by Wt: 75%
======================================
Effects of Overexposure:CHRONIC EXPOSURE-ASBESTOSIS AND CANCER.ANOREXIA,COUGH,WEIGHT LOSS,EUPHORIA,WEAK,CYANOSIS.
======================================
First Aid:CONSULT A PHYSICIAN.EYES:FLUSH WITH WATER.SKIN:WASH WITH SOAP & WATER.REM
OVE CONTAMINATED CLOTHING.LAUNDER BEFORE REUSING.
========= Accidental Release Measures ==========
Spill Release Procedures:VACUUM OR WET CLEANING IF DUST INVOLVED.
============= Handling and Storage =============
Handling and Storage Precautions:PROPER LABELS REQUIRED 29 CFR 1910.1001.STORE AWAY FROM IGNITION SOURCES. Other Precautions:SMOKING SHOULD BE PROHIBITED WHERE MATERIAL IS PROCESED DUE TO POLYTETRAFLUOROETHYLENE.
====== Exposur e Controls/Personal Protection =========
Respiratory Protection:NIOSH APPRVD RESPIRATOR FOR DUST AND ASBESTOS FIBER Ventilation:DEPENDS ON USAGE.
Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES Other Protective Equipment:DEPENDS ON USAGE;AS NECESSARY TO PREVENT PROLONGED CONTACT Supplemental Safety and Health
======================================
HCC:T7
Appearance and Odor:WHITE SOLID-NO ODOR
======= Stability and Reactivity D

: 25%

OSHA PEL:0.2 FIBERS/CC

Stability Indicator/Materials to Avoid:YES	

ata =========

particular situation.

======= Disposal Considerations ===========

Waste Disposal Methods:SORT,CLASSIFYING AND PACK PROPERLY AS SPECIFIED IN 29 CFR 1910.1001.DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL,STATE AND LOCAL EFFLUENT LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Ameri ca in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their