

BOW SOLDER PRODUCTS CO -- SN63 WRP2 TIN/LEAD SOLDER -- 3439-00-766-4711

=====
Product Identification
=====

Product ID:SN63 WRP2 TIN/LEAD SOLDER

MSDS Date:01/01/1987

FSC:3439

NIIN:00-766-4711

MSDS Number: BFNWN

=== Responsible Party ===

Company Name:BOW SOLDER PRODUCTS CO/UNION, NJ 07083

Emergency Phone Num:(201) 686-6040

CAGE:52329

=== Contractor Identification ===

Company Name:BOW ELECTRONIC SOLD

ERS

Address:1 CROSSMAN ROAD

Box:City:SAYREVILLE

State:NJ

ZIP:08872

Country:US

Phone:732-316-2100/ FAX: 732-316-2177

CAGE:52329

=====
Composition/Information on Ingredients
=====

Ingred Name:TIN

CAS:7440-31-5

RTECS #:XP7320000

Fraction by Wt: 61.1%

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 35.9%

OSHA PEL:0.05 MG/M3;1910.1025

ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name

:ROSIN
Fraction by Wt: 3.0%

Ingred Name:DIPROPYLENE GLYCOL
CAS:110-98-5
RTECS #:UB8785000
Fraction by Wt: TR

Ingred Name:COPPER (SARA III)
CAS:7440-50-8
RTECS #:GL5325000
Fraction by Wt: 0.08%
Other REC Limits:1 MG(CU)/M3 (DUST)
OSHA PEL:0.1MG/M3 FUME/1 DUST
ACGIH TLV:0.2MG/M3 FUME; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ARSENIC (SARA III)
CAS:7440-38-2
RTECS #:CG0525000
Fraction by Wt: 0.03%
OSHA PEL:0.5 MG/M3 (AS)
ACGIH TLV:0.01,A1 MG/M3; 9394
EPA Rpt Qty:1 LB
DOT Rpt
Qty:1 LB

Ingred Name:IRON
CAS:7439-89-6
RTECS #:NO4565500
Fraction by Wt: 0.02%

Ingred Name:ALUMINUM (SARA III)
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: 0.005%
OSHA PEL:15MG/M3 DUST/5 FUME
ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:ZINC (SARA III)
CAS:7440-66-6
RTECS #:ZG8600000
Fraction by Wt: 0.005%
OSHA PEL:10 MG ZNO/M3
ACGIH TLV:10 MG ZNO/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ROSIN ACID
CAS:8050-09-7

Ingred Name:DIPROPYLENE GLYCOL
CAS:25265-71-8
RTECS #:U

B8765000

=====
Fire Fighting Measures
=====

Flash Point:>300F

=====
Handling and Storage
=====

Other Precautions:DON'T INGEST. WASH AFTER USING. DON'T BREATHE FUMES.

=====
Exposure Controls/Personal Protection
=====

Ventilation:ADEQUATE VENTILATION
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES/GLASSES
Supplemental Safety and Health
MSDS UNDATED

=====
Physical/Chemical Properties
=====

HCC:N1
Boiling Pt:B.P. Text:1700F
Spec Gravity:8.5

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use.

Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.