

WYNN OIL COMPANY -- ULTRA-SYNTHET 941 -- 9150-00-768-9400

=====  
Product Identification  
=====

Product ID:ULTRA-SYNTHET 941

MSDS Date:01/01/1987

FSC:9150

NIIN:00-768-9400

MSDS Number: BFNXB

=== Responsible Party ===

Company Name:WYNN OIL COMPANY

Emergency Phone Num:(818)334-0231

CAGE:FO318

=== Contractor Identification ===

Company Name:WYNN OIL CO

Address:1151 W 5TH

Box:City:AZUSA

State:CA

ZIP:9170

2-3314

Country:US

CAGE:15121

Company Name:WYNN OIL COMPANY

Address:1151 WEST FIFTH STREET

City:AZUSA

State:CA

ZIP:91702

Phone:(818) 334-0231

CAGE:FO318

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIETHANOLAMINE (SARA III)

CAS:111-42-2

RTECS #:KL2975000

Fraction by Wt: 5.3%

OSHA PEL:3 PPM

ACGIH TLV:3 PPM; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000

Fraction by Wt: 3.1%

OSHA PEL:C 25 PPM

ACGIH TLV:C 25 P

PM; 9192

Ingred Name:CUTTING FLUID  
ACGIH TLV:NOT SPECIFIED

=====  
Hazards Identification  
=====

Effects of

Overexposure:EYES:IRRITATION;SKIN:IRRITATION/DEFAT;INHAL:IRRITATION  
TO RESPIRATORY TRACT;INGEST:IRRIT TO G.I.TRAC

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREA  
THING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Extinguishing Media:WATER,WATER SPRAY,DRY CHEMICALS,FOAM  
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED RESPIRATOR/SCBA IN AN  
ENCLOSED AREA  
Unusual Fire/Explosion Hazard:NONE INDICATED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;RECOVER FREE  
LIQUID;USE ABSORBENT  
MATERIAL LIKE SAND OR CLAY AND RECOVER FOR  
PROPER DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL,DRY AREA.DO NOT FREEZE  
THE PRODUCT.KEEP CONTAINER CLOSED WHEN NOT IN USE.  
Other Precautions:AVOID CONTACT WITH SKIN AND EYES.DO NOT BREATHE  
VAPORS/MIST.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR  
VAPOR/MIST AS REQUIRED

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT.

Supplemental Safety and Health

MSDS DATED:03/26/84;PRODUCT CODE NO.83902,83904.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:212F/100C

Spec Gravity:1.03

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR,DARK LIQUID,MILD ODOR

Percent Volatiles by Volume:73

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS,OXIDIZING AGENTS.

Stability Condition to Avoid:HEAT

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE OXIDES OF CARBON,N,AND NA.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particula

r situation.