

KOPPERS CO, INC. -- LACQUER CAMOUFLAGE -- 8010-00-776-4633

=====
Product Identification
=====

Product ID:LACQUER CAMOUFLAGE

MSDS Date:01/01/1985

FSC:8010

NIIN:00-776-4633

MSDS Number: BFNZW

=== Responsible Party ===

Company Name:KOPPERS CO, INC.

Address:3000 KOPPERS BLDG

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:EO546

=== Contractor Identification ===

Company Name:KOPPERS CO INC

Add

ress:3000 KOPPERS BLDG

Box:City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:80592

Company Name:KOPPERS CO, INC.

CAGE:EO546

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 38%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM/300STEL;9394

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ACRYLIC/NITROCELLULOSE

Fraction by Wt: 17.8%

Ing

red Name:N. PROPYL ACETATE
RTECS #:UH7700000
Fraction by Wt: 12%
ACGIH TLV:200PPM

Ingred Name:N. BUTYLACETATE
RTECS #:EO0720000
Fraction by Wt: 5.80%

Ingred Name:LEAD (SARA III)
CAS:7439-92-1
RTECS #:OF7525000
Fraction by Wt: 5.27%
OSHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Effects of Overexposure:SYSTEMIC TOXIC EFFECTS MAY ALSO RESULT FR SKN
ABSORPT.IRRIT TO EYES,NOS
E & THROAT NR OR(SEE SUPP)

===== First Aid Measures =====

First Aid:IF INHAL,MOVE TO FRESH AIR.IF NOT BREATHING,GIVE ARTIFIC
RESPIR,PREF MOUTH TO MOUTH.CALL A DR.SKN CONTACT-WASH THORO W/SOAP
& WATER.EYES FLUSH IMMED W/PLTY OF WATER FOR 15 MIN & CONTACT
DR.WASH CONTAM INAT CLOTHING BFORE REUSE.IF SWALLOW,CALL(SEE SUPP

===== Fire Fighting Measures =====

Flash Point:23F TCC -5C
Extinguishing Media:FOAM,DRY CHEM
,WATER SPRAY FOG OR CO*2.
Fire Fighting Procedures:USE AIR SUPPLD EQPMT FOR ENC AREAS.COOL EXPOS
CNTNRS W/WATER
Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT,SPARKS & FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:REMOV ALL SOURCES OF IGNIT(FLAM
ELECTRICAL,STATIC OR FRICTIONAL SPARKS;HOT SURFACES,ETC)AVD
BREATHING VAP.VENTILATE AREA.CONTAIN & SCOOP UP SPILL
W/NON-SPARKING TOOLS,RAGS,ETC.USE INERT ABSORBENT MATE RIALS ON S

M
SPILLS OR ON RESIDUALS OF LARGE SPILLS

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTNRS CLOSED & UPRIGHT TO PRVNT
LEAKAGE.AVD FLAMES,WELDING,SMOKING,SPARKS,OPEN LGHTS,ETC.AVD
BREATHING OV VAP OR SPRAY MIST.AVD EYE/SKIN CNTCT

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:ORGNC VAP CANIST.IF OXYG ADEQ & VAP >2% OR USE
AIR SUPLD FACE MASKS

Ventilation:LOCAL AND MECHANICAL EXHAUST

Protective Gloves:RUBBER

Eye Protection:GOGGLES

Supplemental Safety and Health

OVEREXPOS:ABOV 100PPM FR VAP,HIGHER CONCENT CAUS DROWSNSS,DIZZNSS,FOLW
BY COMA.DANGROUS HI CONCENT COULD CAUSE DEATH FR EXPLOS OR FR
BREATHING.EMERG:DR IMMED,DO NOT INDUC VOMITING.

=====
Physical/Chemical Properties
=====

HCC:F2

Vapor Density:HEAV

Spec Gravity:8.68

Evaporation Rate & Reference:N.BUTYL ACET-FASTR

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GR

EEN VISCOUS LIQUID W/TYP SOLVENT ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL APPLICABLE
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no man

ner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.