

FENWAL INC -- EPON RESIN 812(FENWAL P/N 80055-30) -- 8040-00-776-9601

=====
Product Identification
=====

Product ID:EPON RESIN 812(FENWAL P/N 80055-30)

MSDS Date:01/01/1985

FSC:8040

NIIN:00-776-9601

Kit Part:Y

MSDS Number: BFPBC

=== Responsible Party ===

Company Name:FENWAL INC

Emergency Phone Num:617-881-2000

CAGE:0KDP7

=== Contractor Identification ===

Company Name:FENWAY SAFETY SYSTEMS INC

Add

ress:700 NICKERSON RD

Box:City:MARLBOROUGH

State:MA

ZIP:01752

Country:US

CAGE:73168

Company Name:KIDDE FENWAL INC

Address:400 MAIN ST

Box:City:ASHLAND

State:MA

ZIP:01721-2150

Country:US

Phone:508-881-2000

CAGE:0KDP7

=====
Composition/Information on Ingredients
=====

Ingred Name:EPON RESIN 812 (LIQUID RESIN)

Fraction by Wt: 100%

ACGIH TLV:UNK

=====
Hazards Identification
=====

Effects of Overexposure:DANGR:PROLONG OR REPEATED CONTACT OF LIQD

OR
BREATHING OF VAP OR MIST CAUS DELAYED & SERIOUS INJURY.

===== First Aid Measures =====

First Aid:DO NOT HANDLE OR USE UNTIL THE PRECAUTIONS CONTAINED IN SHELL'S PUBLICATION. SC "69-35",SAFETY & TOXICITY DATA SHEET-EPON 812,HAVE BEEN READ & UNDERSTOOD

===== Fire Fighting Measures =====

Flash Point:370F COC 698C
Extinguishing Media:WATER SPRAY,FOAM,CO*2,DRY CHEMICALS
Fire Fighting Procedures:NO SPECIAL PROC
EDURES-AVOID BREATHING SMOKE.
Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDS-STORE IN A COOL PLACE.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN WITH A CLOTH PREVENT SKIN CONTACT.FLUSH REMAINDER WITH A LARGE AMOUNT OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL PLACE
Other Precautions:DO NOT ALLOW PRODUCT TO CONTACT SKIN.HANDLE W/GOOD VENTILATION. SP
I CLASS OF 6.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC CANISTER
Ventilation:LOC EXHAUST-& MECHANICAL-HIGHLY RECOMMENDED
Protective Gloves:RUBBER
Eye Protection:GOGGLES
Supplemental Safety and Health
PROCURED UNDER FENWAL P/N 80055-30.KEY1:N1

===== Physical/Chemical Properties =====

HCC:N1
Vapor Pres:1
Spec Gravity:1.22
Solubility in Water:60%
Appearance and Odor:LIGHT AMBER LIQUID

===== Stabil =====

ity and Reactivity Data =====

Stability Indicator/Materials to Avoid:NO

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:STORE AWAY FROM RADIATORS & OTHER SOURCES
OF HEAT

Hazardous Decomposition Products:CARBON MONOXIDE,ALDEHYDES,ACIDS,ETC.

Conditions to Avoid Polymerization:SEE STABILITY ABOVE

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED BURNING OR CURE & BURY.

Disclaimer (provided with this information by the co
mpiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.