

CORNELL DUBILIER ELEC DIV OF FED PAC ELEC CO -- TJL6040J -- 5910-00-819-2155  
===== Product Identification =====

Product ID:TJL6040J  
MSDS Date:01/01/1985  
FSC:5910  
NIIN:00-819-2155  
MSDS Number: BFQGTG  
=== Responsible Party ===  
Company Name:CORNELL DUBILIER ELEC DIV OF FED PAC ELEC CO  
Address:ONE INTERCHANGE PLZ  
City:WAYNE  
State:NJ  
ZIP:07470  
Country:US  
CAGE:09023

=== Contractor Identification ===  
Comp  
any Name:CORNELL DUBILIER ELEC DIV FED PAC ELEC  
Address:ONE INTERCHANGE PLZ  
Box:B-967  
City:WAYNE  
State:NJ  
ZIP:07470  
Country:US  
Phone:201-694-8600  
CAGE:09023  
Company Name:CORNELL-DUBILIER ELECTRONICS  
Address:ONE INTERCHANGE PLZ  
Box:City:WAYNE  
State:NJ  
ZIP:07470  
Country:US  
Phone:201-694-8600  
CAGE:14655

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)  
CAS:1336-36-3  
RTECS #:TQ1350000  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

===

=====  
Hazards Identification  
=====

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES  
CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)

=====  
First Aid Measures  
=====

First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP  
IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS  
NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE  
VOMITING,BUT DO NOT MAKE UNC ONCSIOUS P  
ERSON VOMIT.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT  
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.  
Other Precautions:LARGE CAPACITORS OF 3 LB OR MORE PCB REQUIRE LABELS  
IN STORAGE USE & TRANSPORTATION

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD  
Ventilation:LOCAL EXHAUST  
Protective Gloves:RUBBER-IMPERV  
Eye Protection:GOGGLES,FACE SHIELD  
Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT  
Supplemental Safety and Health  
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES  
EYES,NOSE THROAT.

=====  
Physical/Chemical Properties  
=====

Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR

=====

==== Stability and Reactivity Data =====

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH  
TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.