

MALTER INTERNATIONAL CORP,BULK CHEMICAL DIV. -- SLYDE -- 9150-00-823-7860
===== Product Identification =====

Product ID:SLYDE
MSDS Date:03/01/1988
FSC:9150
NIIN:00-823-7860
MSDS Number: BFQXK
=== Responsible Party ===
Company Name:MALTER INTERNATIONAL CORP,BULK CHEMICAL DIV.
Address:80 1ST ST
City:GRETNA
State:LA
ZIP:70053-4721
Country:US
Info Phone Num:800-535-4095
Emergency Phone Num:504-362-32
32/800-424-9300(CHEMTREC)
CAGE:27978
=== Contractor Identification ===
Company Name:MALTER INTERNATIONAL BULK CHEMICAL DIVISION
Address:80 FIRST STREET
Box:City:GRETNA
State:LA
ZIP:70053
Country:US
Phone:504-362-3232, OR 800-535-4095
CAGE:27978

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED LIGHT PETROLEUM DISTILLATE
CAS:64742-47-8
Fraction by Wt: 72 - 75%
Other REC Limits:NONE SPECIFIED
ACGIH TLV:300 PPM (MFR-EST)

Ingred Name:PROPANE
CAS:74-98-6

RTECS #:TX2275000
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:ISOBUTANE
CAS:75-28-5
RTECS #:TZ4300000
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:VAPORS MIGHT EFFECT CENTRAL
NERVOUS SYSTEM AND CAUSE RESPIRATORY IRRITATION.CHRONIC-NOT
SPECIFIED.
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:SEE HEALTH HAZARD SECTION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:SKIN:WASH WITH SOAP & WATER.AN EMOLLIENT IS
BENEFICIAL.INHALATION:PROVIDE FRESH AIR AND REST.EYES:IMMEDIATELY
FLUSH WITH WATER FOR 5 MINUTES.INGESTION:DO NOT INDUCE VOMITING.GET
IMMEDIATE MEDICAL ATTENTION.

=====
Fire
Fighting Measures
=====

Flash Point:FLAMMABLE
Lower Limits:1.1
Upper Limits:6.0
Extinguishing Media:CARBON DIOXIDE, MECHANICAL FOAM, DRY CHEMICAL OR
WATER FOG.
Fire Fighting Procedures:A STRAIGHT WATER STREAM WOULD SPREAD OIL
FIRES.
Unusual Fire/Explosion Hazard:A VAPOR ACCUMULATION WOULD FLASH AND/OR
EXPLODE IF IGNITED.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID OPEN FLAMES. PROVIDE ADEQUATE
VENTILATION.

COLLECT AND DISPOSE OF ALL SPILLED LIQUID.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT,SPARKS,AND OPEN FLAME. KEEP OUT OF REACH OF CHILDREN.
Other Precautions:DANGER:EXTREMELY FLAMMABLE. DO NOT KEEP OR USE IN THE PRESENCE OF HEAT, SPARKS AND OPEN FLAMES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN INADEQUATELY VENTILATED AREA USE SELF CONTAINED BREATHING APPARATUS.
Ventilation:NONE SPECIFIED BY MANUFACTURER.
Protective Gloves:RUBBER
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. WEAR INDUSTRIAL TYPE WORK CLOTHING AND RUBBER APRON AS REQUIRED.
Work Hygienic Practices:CHANGE CONTAMINATED CLOTHING AS SOON AS POSSIBLE. WASH HANDS BEFORE EATING.
Supplemental Safety and Health
USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAPORS AND EYE OR SKIN CONTACT.

=====
===== Physi
cal/Chemical Properties =====

HCC:V3
Boiling Pt:B.P. Text:330F,166C
Vapor Pres:5.8
Vapor Density:4.86
Spec Gravity:0.771
Evaporation Rate & Reference:0.09 (N-BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:WATER WHITE LIQUID WITH HYDROCARBON ODOR
Percent Volatiles by Volume:95.73

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HIGH TEMPERATU

RES AND OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE IF BURNED WITH INSUFFICIENT AIR.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IT, WHERE IT WILL NOT BE PUNCTURED OR INCINERATED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.