View NSN Online: https://aerobasegroup.kr/nsn/6810-00-823-8010

MONSANTO COMPANY -- MURIATIC ACID;HYDROCHLORIC ACID;31.5% -- 6810-00-823-8010

============ Product Identification ==============

Product ID:MURIATIC ACID;HYDROCHLORIC ACID;31.5%

MSDS Date:05/01/1986

FSC:6810

NIIN:00-823-8010

MSDS Number: BFRCX === Responsible Party ===

Company Name: MONSANTO COMPANY

Address:800 N. LINDBERGH BLVD

City:ST. LOUIS

State:MO ZIP:63141 Country:US

Info Phone Num:314-694-1000

Emergency Pho

ne Num:314 694 1000

CAGE:DO969

=== Contractor Identification ===

Company Name: MONSANTO COMPANY

Address:800 N LINDBERGH BLVD

Box:City:SAINT LOUIS

State:MO ZIP:63167 Country:US

Phone:314-694-6661 OR 800-332-3111

CAGE:76541

Company Name: MONSANTO COMPANY

Address:800 N. LINDBERGH BLVD

City:ST. LOUIS

State:MO ZIP:63167

Phone:314-694-1000

CAGE:DO969

====== Composition/Information on Ingredients ========

Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS:7647-01-0 RTECS #:M Fraction by Wt: 31.5% OSHA PEL:C 5 PPM ACGIH TLV:C 5 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification ========= LD50 LC50 Mixture:LD50 ORAL RABBIT IS 900MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY TISSUES; SKIN AND EYES BURNS; LUNGS, EYES AND STOMACH DAMAGE; NAUSEA, VOMITING, DIARRAH. CHRONI C: DERMATITIS, TISSUES DAMAGE. Explanation of Carcinogenicity: HYDROCHLORIC ACID IS CLASSIFIED IARC-3(INSUFFICIENT EVIDENCE-HUMAN). Effects of Overexposure: INHAL: IRRITATION OF RESP TRACT, COUGHING, CHOKING; EYES: SEVERE IRRIT, LOSS OF SIGHT; SKIN: SEVERE BURNS. Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN AND RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:SKIN:REMOVE CONTAMINA TED CLOTHING; WASH WITH SOAP AND WATER.GET MEDICAL ATTENTION.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.GET MEDICAL ATTENTION.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS, GIVE WATER OR MILK OR MAGNESIA. Extinguishing Media: SELECT THAT SUITABLE FOR SURROUNDING FIRE; USE WATER **SPR** AY Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA WITH FULL PROTECTION. Unusual Fire/Explosion Hazard: HYDROGEN, A HIGHLY FLAMMABLE AND EXPLOSIVE

W4025000

GAS IS GENERATED BY THE ACTION OF THE ACID ON METALS.

======== Accidental Release Measures ============

Spill Release Procedures: USE PROPER PERSONAL PROTECTION: DIKE AREA AND CONTAIN SPILL AND NEUTRALIZE WITH SODA OR LIME, RECOVER AND DILUTE WITH WATER FOR PROPER DISPOSAL.

Neutralizing Agent: SODA ASH, SLAKED LIME.

| ====================================== |
|--|
| Handling and Storage Precautions:STORE CLOSED CONTAINERS IN CLEAN,COOL,OPEN OR WELL VENTILATED AREAS.KEEP OUT OF SUN.KEEP AWAY FROM OXIDIZING MATERIAL. KEEP CONTAINERS CLOSED. Other Precautions:AVOID CONTACT WITH SKIN AND EYES;DO NOT INHALE VAPORS. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ACID MIST/ VAPORS. Ventilation:LO CAL EXHAUST TO MAINTN BELOW TLV. Protective Gloves:IMPERVIOUS Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA. Supplemental Safety and Health HCL IS 31.5% AND 20 BE. |
| ========= Physical/Chemical Properties ========== |
| HCC:C1 Boiling Pt:B.P. Text:182F,83C Sp ec Gravity:1.16 Solubility in Water:COMPLETE Appearance and Odor:COLORLESS TO LIGHT YELLOW FUMING LIQUID WITH A PUNGENT ODOR. |
| ========= Stability and Reactivity Data ========= |
| Stability Indicator/Materials to Avoid:YES METALS,METAL OXIDES,AMINES,CARBONATES &ALKALIESHIGHLY CORRO Stability Condition to Avoid:HEAT OPEN FLAME Hazardous Decomposition Products:H2 FLAMMABLE GAS IS FORMED DURING REACTION WITH MOST METALS |
| ====== Disposal Considerations ===== |
| |

==========

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek compete nt professional advice to verify and assume responsibility for the suitability of this information to their particular situation.