

VARFLEX CORPORATION -- VARGLAS 500 -- 5970-00-825-3680

=====  
===== Product Identification =====

Product ID:VARGLAS 500

MSDS Date:01/01/1987

FSC:5970

NIIN:00-825-3680

MSDS Number: BFRHT

=== Responsible Party ===

Company Name:VARFLEX CORPORATION

Emergency Phone Num:(315)336-4400

CAGE:79074

=== Contractor Identification ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:

NY

ZIP:13440

Country:US

Phone:315-336-4400

CAGE:79074

=====  
===== Composition/Information on Ingredients =====

Ingred Name:SILICA, AMORPHOUS, DUST

CAS:112945-52-5

RTECS #:VV7310000

OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

Ingred Name:SODIUM CARBONATE,CAS#497-19-8

CAS:497-19-8

RTECS #:VZ4050000

Ingred Name:CALCIUM OXIDE

CAS:1305-78-8

RTECS #:EW3100000

OSHA PEL:5 MG/M3

ACGIH TLV:2 MG/M3; 9192

Ingred Name:METHYL PHENYL SILICONES

=====  
===== Hazards Identification =====

=====

Effects of Overexposure:MFR DID NOT SPECIFY

===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.  
INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.

===== Fire Fighting Measures =====

Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE

===== Accidental Release Measures =====

Spill Release Procedures  
:PICK UP AND PLACE IN SUITABLE DISPOSAL  
CONTAINERS

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ABSENCE OF DIRECT SUNLIGHT  
AND AT 30-60% R.H.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED-NIOSH APPVD RESP IF TLV IS  
EXCEEDED.

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:AS REQUIRED

Eye Protection:AS REQUIRED

Supplemental Safet

y and Health

MSDS DATED 10-85.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.20

Appearance and Odor:CYLINDRICAL FIBERGLASS BRAID,SILICONE RESIN COATED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO,CO\*2,CAO,SIO\*2

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDL

E &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional ad  
vice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.