View NSN Online: https://aerobasegroup.kr/nsn/5999-00-829-8935

I G TECHNOLOGIES, INC. -- ALNICO -- 5999-00-829-8935

Product ID:ALNICO MSDS Date:01/01/1987

FSC:5999

NIIN:00-829-8935

MSDS Number: BFRPM === Responsible Party ===

Company Name: I G TECHNOLOGIES, INC. Emergency Phone Num: 219-462-3131

CAGE:JO809

=== Contractor Identification ===

Company Name: I G TECHNOLOGIES, INC

CAGE:JO809

Company Name: IG TECHNOLOGIES INC

Address:405 ELM ST

Box:City:VALPARAISO

State:IN

ZIP:46383-3620 Country:US

Phone:219-462-3131

CAGE:82901

======= Composition/Information on Ingredients ========

Ingred Name: ALUMINUM (SARA III)

CAS:7429-90-5

RTECS #:BD0330000 Fraction by Wt: 6-13%

OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name: COBALT (SARA III)

CAS:7440-48-4

RTECS #:GF8750000 Fraction by Wt: 1-40%

OSHA PEL:0.1 MG/M3;AS CO

ACGIH TLV:0.05 MG/M3;DUST 9293

Ingred Name: COPPER (SARA III)

CAS:7440-50-8

RTEC

S #:GL5325000 Fraction by Wt: 1-7% OSHA PEL:0.1MG/M3 FUME/1 DUST ACGIH TLV:0.2MG/M3 FUME; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: IRON OXIDE CAS:1309-37-1 RTECS #:NO7400000 OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE),B2; 9293 Ingred Name: NICKEL (SARA III) CAS:7440-02-0 RTECS #:QR5950000 OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 =========== Hazards Identification ========================== Effects of Overexposure: UNDER NORMAL HANDLING AND USE EXPOS TO ALNICO DUCTS PRESENT NO OR FEW HEALTH HAZARD.SUPP DATA. Fire Fighting Procedures: NONE (PER MFR) Unusual Fire/Explosion Hazard: MAY OCCUR IN CASE OF RAISING DRY, FINE GRAINED DUST IN AIR.HAZARD IS REDUCED BY MACHINING WET ======== Accidental Release Measures ============ Spill Release Procedures: N/R (PER MFR) ============ Handling and Storage =========================== Handling and Storage Precautions:W HEN MACHINING ALNICO USE COOLANT TO REDUCE DUSTING. Other Precautions: HANDLE W/ CARE WHEN MAGNETIZED TO PREVENT INJURY OR DAM BY STRONG ATTRACTIVE/REPULSIVE FORCES.CONTROL THE MOVEMENT OF

OTHER MAGNETIC MATERIALS WHEN NEAR STRONG MAGNETIC FIELD.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: OSHA/MSHA APPRVD POWDERS & DUST PROPER **RESPIRATOR**

Ventilation:MECHANICAL Protective Gloves: RUBBER

Eye Protection: PROTECTIVE GOGGLES

Other Protect

ive Equipment:N/R(PER MFR)
Supplemental Safety and Health

MSDS PREP:30JAN86.BP:>2500C.SPECIFIC GRAVITY:6.9-7.4.OVEREXPO:POWDER OR DUST FROM MACHINING MAY CAUSE SOME SKIN IRRITATION IN THE CASES OF SENSITIVE INDIVIDUALS.EYE:DUST,FUMES MAY CAUSE IRRIT.

======== Physical/Chemical Properties ===========

HCC:M1

Boiling Pt:B.P. Text:>4532F

Spec Gravity:SUPP

Solubility in Water: INSOLUBLE

Appearance and Odor: SILVERY GRAY METAL-NO ODOR

====== Stability and Reacti

vity Data ========

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS

Hazardous Decomposition Products:HAZARDOUS FUMES MAY OCCUR WHEN MACHINING ALNICO

====== Disposal Considerations ===========

Waste Disposal Methods:RECYCLING OF SCRAP METAL IS THE PREFERRED METHOD.DISPOSAL IN ACCORDANCE TO STATE, FEDERAL, LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.