

BURDICK AND JACKSON DIV OF BAXTER HEALTHCARE CORP. -- NORMAL HEXANE --
6810-00-830-7864

===== Product Identification =====

Product ID:NORMAL HEXANE

MSDS Date:01/01/1985

FSC:6810

NIIN:00-830-7864

MSDS Number: BFRQF

=== Responsible Party ===

Company Name:BURDICK AND JACKSON DIV OF BAXTER HEALTHCARE CORP.

Address:1953 S HARVEY STREET

City:MUSKEGON

State:MI

ZIP:49442-6101

Country:US

Info Phone Num:61

6-726-3171

Emergency Phone Num:616-726-3171, CHEMTREC 800-424-9300

CAGE:2H215

=== Contractor Identification ===

Company Name:HONEYWELL, BURDICK AND JACKSON

Address:1953 S HARVEY STREET

Box:City:MUSKEGON

State:MI

ZIP:49442-6101

Country:US

Phone:800-368-0050/800-707-4555

CAGE:2H215

===== Composition/Information on Ingredients =====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:

METHYLCYCLOPENTANE
CAS:96-37-7
RTECS #:GY4640000
Fraction by Wt: 10%
ACGIH TLV:500 PPM (MFR)

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN: IRRITATION. VAPOR:
DIZZY,NAUSEA,EXHILIRATION,MUSCULAR INCOORD,STUPOR,UNCONSCIOUSNESS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH WITH WATER 15 MIN. SKIN: WASH WITH SOAP &
WATER,APPLY EMMOLIENT CREAM. INHALATION: REMOVE FROM EXPOSURE,GIVE
ART
IFICAL RESPIRATION IF NEEDED,GET MEDICAL ATTN. INGESTION: DO NOT
INDUCE VOMIT ING,GET MEDICAL ASSISTANCE.

=====
Fire Fighting Measures
=====

Flash Point:-10F/-23C (TCT)
Lower Limits:1.2
Upper Limits:7.7
Extinguishing Media:DRY CHEMICAL,CO*2
Fire Fighting Procedures:WATER SPRAY TO COOL EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:WATER MAY BE INEFFECTIVE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SEC
URE IGNITION SOURCES,ABSORB IN EARTH OR
SAWDUST. WEAR APPROVED RESPIRATORY DEVICE.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL WELL VENTILATED SPACE.
Other Precautions:USE A SELF-CONTAINED BREATHING APPARATUS IF ENTRY
INTO A STOREAGE TANK OR VESSEL IS REQUIRED.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH
EXPOSURE OF C

ONCERN.

Ventilation:MECHANICAL/GENERAL

Protective Gloves:NEOPRENE

Eye Protection:PROTECTIVE GOGGLES.

Supplemental Safety and Health

PHILLIPS PETROLEUM CO MFR'S RAW MATERIAL,BURDICK & JACKSON LAB REFINES
TO DESIRED PCT,SPEC & GRADE. CONTAINER SIZE: 1 GAL BOTTLE.

===== Physical/Chemical Properties =====

HCC:F1

Boiling Pt:B.P. Text:152F/66C

Vapor Pres:130

Vapor Density:3.0

Spec Gravity:0.67

Evaporation Rate & Reference:0.3 (ETHYL ETHER)

Solubility in Water:NEGL

IGIBLE

Appearance and Odor:WATER-WHITE NON-VISCOUS LIQUID-MILD ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:CONTROLLED BURNING AT A SAFE LOCATION. COMPLY
WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formula

ted for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.