

CONCORD INDUSTRIES INC DBA NATIONAL DIL & CHEM CO -- NOCCO OIL 100-S --
9150-00-836-8641

===== Product Identification =====

Product ID:NOCCO OIL 100-S

MSDS Date:05/15/1986

FSC:9150

NIIN:00-836-8641

MSDS Number: BFRWG

=== Responsible Party ===

Company Name:CONCORD INDUSTRIES INC DBA NATIONAL DIL & CHEM CO

Address:1000 FOREST AVENUE

City:HAMILTON

State:OH

ZIP:45015-1632

Country:US

Info Phone Num:51

3-896-6692

Emergency Phone Num:513-896-6692

CAGE:60031

=== Contractor Identification ===

Company Name:CONCORD INDUSTRIES INC DBA NATIONAL DIL & CHEM CO

Address:1000 FOREST AVENUE

Box:City:HAMILTON

State:OH

ZIP:45015-1632

Country:US

Phone:513-896-6692

CAGE:60031

===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED HEAVY NAPHTHENIC DISTILLATE, PETROLEUM-BASE
STOCKS

CAS:64742-52-5

RTECS #:PY8035000

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3 (OIL

MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION. EYE: MAY CAUSE IRRITATION.
INHALATION: MINIMIZE EXPOSURE TO MIST/FUMES. INGESTION: DO NOT INGEST. CHRONIC-SKIN:IRRITATION.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS
CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Effects of Overexposure:PROLONGED OR REPEATED SKIN CONTACT WITH THIS PRODUCT TENDS TO REMOVE SKIN OILS POSSIBLY LEADING TO IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:IN CASE OF EYE CONTACT, FLUSH REPEATEDLY WITH WATER. IN CASE OF SKIN CONTACT, WASH WITH SOAP AND WATER AFTER CONTACT. IF INHALATION OCCURS, REMOVE TO FRESH AIR. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. IN CASE OF INGESTION, DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:325F,163C
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA WITH ORGANIC VAPOR FILTER & FULL PROTECTIVE EQUIPMENT. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:COMBUSTION MAY PRODUCE IRRITATING AND/OR TOXIC VAPORS, FUMES.

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB WITH CLAY OR OTHER INERT MATERIALS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A COOL, DRY, VENTILATED AREA
AW

AY FROM FLAME, SPARKS & HEAT. KEEP CONTAINERS TIGHTLY CLOSED.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE THEM TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NON REQUIRED UNDER NORMAL CONDITIONS AND ADEQUATE VENTILATION. IF UNUSUAL CONDITION , USE NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS WITH ORGANIC VAPORS FILTER.

Ventilation:ADEQUATE VENTILATION

Protective Gloves:NEOPRENE OR NITRILE

Eye Protection:SAFETY GOGGLES/GLASSES

Other Protective Equipment:LONG SLEEVED SHIRTS RECOMMENDED.EYE WASH STATION & SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Su

pplemental Safety and Health

RETURN TO A DRUM RECONDITIONER.

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>525F,>274C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:< .01 @68F

Vapor Density:10

Spec Gravity:> .90

Evaporation Rate & Reference: