

SPRAYON PRODUCTS, INC. -- 707 PDRP AEROSOL 38212 -- 8030-00-838-7789

=====
Product Identification
=====

Product ID:707 PDRP AEROSOL 38212

MSDS Date:01/01/1985

FSC:8030

NIIN:00-838-7789

MSDS Number: BFRYV

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS, INC.

Address:26300 FARGO AVE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1310

Country:US

Emergency Phone Num:216-292-7400

CAGE:09800

=== Contr

actor Identification ===

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09-2

RTECS #:PA8050000

Fraction by Wt: 10%

OSHA PEL:500 PPM/C,1000; Z2

ACGIH TLV:50 PPM, A2; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE)

C

AS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 10%
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ISOBUTANE/PROPANE (50/50 BLEND, PROPELLANT)
Fraction by Wt: 25%
ACGIH TLV:1000 PPM (MFR)

=====
Hazards Identification
=====

Effects of Overexposure:LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH ,NAUSEA.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. CALL PHYSICIAN. EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:SEE SUPP DATA
Lower Limits:1.1
Extinguishing Media:CO*2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE.WATER MAY BE USED TO COOL CONTAINER
Unusual Fire/Explosion Hazard:DO NOT SPRAY NEAR A FLAME. STORE AT ROOM TEMP. BURNING.PRODUCT MAY RELEASE HYDROGEN CHLORIDE,CO,CO*2

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. VENTILATE. AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AT ROOM TEMPERATURE - EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT MAY CAUSE MATERIAL TO BURST INTO FLAME.
Other Precautions:DO NOT PUNCTURE OR INCINERATE. DO NOT SPRAY NEAR FIRE OR FLAME. KEEP AWAY FROM CHILDREN.

=====

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPRVD RESP FOR SPRAY MIST OR VAPOR.,

Ventilation:PROVIDE LOCAL EXHAUST TO KEEP CONC BELOW TLV.

Eye Protection:RECOMMENDED

Supplemental Safety and Health

12OZ AEROSOL CAN, TYPE I. FOLLOWING DATA, PERTAINS TO PREPELLANT; BP:

0F. EVAPORATION RATE: FASTER THAN ETHER. FLASH POINT: 1

Evaporation Rate & Reference:SEE SUP DATA

Percent Volatiles by Volume:45

=====
Stability and
Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:DO NOT STORE ABOVE 120F.

Hazardous Decomposition Products:BURNING MAY RELEASE HYDROGEN CHLORIDE,CO,CO*2.

=====
Disposal Considerations
=====

Waste Disposal Methods:MFR STATES DO NOT INCIN. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is f

ormulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.