

KOPPERS CO.,INC. -- SEMI-GLOSS CELLULOSE NITRATE LACQUER -- 8010-00-842-5235

=====
Product Identification
=====

Product ID:SEMI-GLOSS CELLULOSE NITRATE LACQUER

MSDS Date:01/01/1985

FSC:8010

NIIN:00-842-5235

MSDS Number: BFSDN

=== Responsible Party ===

Company Name:KOPPERS CO.,INC.

Address:3000 KOPPERS BLDG

City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:LO335

=== Contractor Identification

===

Company Name:KOPPERS CO INC

Address:3000 KOPPERS BLDG

Box:City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:80592

Company Name:KOPPERS CO.,INC.

Address:3000 KOPPERS BLDG

Box:City:PITTSBURGH

State:PA

ZIP:15219-1818

Country:US

CAGE:LO335

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR
1910.1025),(CRO3 CEILING 0.1 MG/M3)

CAS:7758-97-6

RTECS #:GB2975000

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.05MG/M3(CR)A2;899

Ingred Name:ALKYD/NITROCELLULOSE

Ingred Name:N BUTYL ACETATE

Fraction by Wt: UNK

ACGIH TLV:150PPM

Ingred Name:N. BUTANOL

RTECS #:EK8750000

Fraction by Wt: UNK

ACGIH TLV:50PPM

Ingred Name:METHYL ISOBUTYL KETONE

RTECS #:PO6125000

Fraction by Wt: UNK

ACGIH TLV:50PPM

===== Hazards Identification =====

Effects of Overexposure:STSTEMIC TOXIC EFFECTS MAY RESULT FR SKN
 ABSORP.IRRIT TO EYES,MOSE & THROAT MR OR ABOV 50PPM FR(SUP)

===== First Aid Measures =====

First Aid:IF INHALED,REMOV TO FRESH AIR.IF NOT BREATHING,GIVE ARTIF
 RESPIR,PREFERABLY MOUTH TO MOUTH.CALL DR SKN CONTCT-WASH THOROUGHLY
 W/SOAP/WATR;FOR EYES,FLUSH IMMED W/PLENTY OF WATR F/15 MIN. &
 CONTACT A DR. WASH CONTAM CLOTHING BEFROE REUSE.IF SWALLOW(SUPPL

===== Fire Fighting Measures =====

Flash Point:40F TCC 4F

Extinguishing Media:FOAM,DRY CHEMICAL,WATER SPRAY FOG OR CO*2.

Fire Fighting Procedures:USE

AIR SUPPLIED EQPNT FENC.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT,SPARKS & FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOV ALL SOURCES OF IGNIT
 (FLAME,ELECTRICAL,STATIC OR FRICTIONAL SPARKS;HOT
 SURFACES,ETC).AVOID BREATHING VAP.VENTICATE AREA.CONTAIN & SCOOP UP
 SPILL W/NON-SPARKING TOOLS,RAGS,ETC.USE INERT ABSORBENT MATERIALS
 ON SPILLS OR ON RESIDUALS OF LG SPILLS.

===== Handling and Storage

=====

Handling and Storage Precautions:KEEP CONTAINRS CLOSED & UPRIGHT TO PREVENT LEAKAGE.AVOID FLAMES,WELD,SMOKING,SPARKS,OPEN LIGHTS ETC.AVD BREATHIN VAP/SPRAY MIST.AVOID EYE/SKIN CONTACT
Other Precautions:MAINTAIN GOOD PERSONAL HYGIENE.DO NOT USE IN CONFINED AREAS, TANK OR PIT W/O ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAP CANISTER WHERE OXYGCONTNT IS ADEQ & VAP CONCENTR