

KOPPERS CO., INC. -- A-101E, #14087 OLIVE DRAB -- 8010-00-846-5117

=====
Product Identification
=====

Product ID:A-101E, #14087 OLIVE DRAB

MSDS Date:01/01/1985

FSC:8010

NIIN:00-846-5117

MSDS Number: BFSKS

=== Responsible Party ===

Company Name:KOPPERS CO., INC.

Emergency Phone Num:213/ 726-8666

CAGE:6V069

=== Contractor Identification ===

Company Name:KOPPERS CO INC

Address:5431 DISTRICT BLVD

Box

:City:VERNON

State:CA

ZIP:90040

Country:US

CAGE:71191

Company Name:KOPPERS CO., INC.

Address:950 KOPPERS BLDG.

Box:City:PITTSBURGH

State:PA

ZIP:15219

Phone:(412) 227-2000

CAGE:6V069

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBONS

ACGIH TLV:130PPM

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====

==== Hazards Identification =====

Effects of Overexposure:NAUSEA, DIZZINESS, HEADACHE. SKIN AND EYE IRRITANT.

==== First Aid Measures =====

First Aid:FOR SKIN CONTACT WASH WITH SOAP AND WATER, FOR EYES, FLUSH WITH WATER FOR 15 MINUTES AND CALL PHYSICIAN. REMOVE VICTIM FROM AREA, ADMINISTER OXYGEN IF NECESSARY.

==== Fire Fighting Measures =====

Flash Point:80F, T.C.C.

Extinguishing Me

dia:WATER FOG, FOAM, DRY CHEMICALS OR CO2

Fire Fighting Procedures:USE AIR SUPPLIED EQUIPMENT FOR ENCLOSED AREAS.

Unusual Fire/Explosion Hazard:KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME.

==== Accidental Release Measures =====

Spill Release Procedures:COVER WITH SAWDUST, SWEEP UP WITH BROOM AND SHOVEL AND DEPOSIT IN CLOSED CONTAINER. OI EXPOSURE TO SPARKS, FIRE OR HOT METAL SURFACES. REMOVE ALL SOURCES OIGNITION.

==== Handling and Sto
rage =====

Handling and Storage Precautions:DO NOT STORE NEAR OPEN FLAME OR IN TEMPERATURE OVER 100F.

Other Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREA, TANK OR PIT WITHOUT ADEQUATE VENTILATION.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGANIC VAPOR CANISTER OR USE AIR SUPPLIED FACE MASKS

Ventilation:LOCAL EXHAUST OR MECHANICAL IF NEEDED

Protective Gloves:RUBBER

Eye Protection:GOGGLES

S

Supplemental Safety and Health
5431 DISTRICT BLVD., LOS ANGELES, CA 90040.

===== Physical/Chemical Properties =====

HCC:V3
Vapor Density:>AIR
Evaporation Rate & Reference:SLOW
Solubility in Water:SLIGHT
Appearance and Odor:TYPICAL PAINT ODOR.
Percent Volatiles by Volume: 62

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:PUT IN CLOSED CONTAINER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.