

3M COMPANY -- EC-801A ACCELERATOR (CLASS A&B) -- 8030-00-850-0758

=====  
Product Identification  
=====

Product ID:EC-801A ACCELERATOR (CLASS A&B)

MSDS Date:01/01/1987

FSC:8030

NIIN:00-850-0758

MSDS Number: BFSNR

=== Responsible Party ===

Company Name:3M COMPANY

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD PEROXI

DE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR 1910.1025)

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt: 73%.

OSHA PEL:0.05 MG/M3 (PB)

ACGIH TLV:0.15 MG/M3(PB); 8990

Ingred Name:FATTY ACID BODYING AGENT (SEE FOURTH NIOSH ENTRY)

Fraction by Wt: UNK

ACGIH TLV:UNK

Ingred Name:TERPHENYL PLASTICIZER (SEE FOURTH NIOSH ENTRY)

Fraction by Wt: UNK

ACGIH TLV:UNK

Ingred Name:MFR'S MSDS SHOWS NIOSH ENTRY(2 & 3) TO BE A COMBINED % OF:(RANGE 22-38 % )

RTECS #:9999999ZZ

=====  
Hazards Identification =====

Effects of Overexposure:EYE:IRRITATION.SKIN:IRRITATION.PROLONGED CONTACT MAY PROD SYSTEMIC PROBLEMS FROM ABSORPTION.

=====  
First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN,CALL A PHYSICIAN.SKIN:WASH WITH SOAP AND WATER.LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE.

=====  
Fire Fighting Measures =====

Extinguishing Media:CO2,FOAM,DRY CHEM

=====  
Accidental Release Measures =====

Spill Release Procedures:COLLECT SPILLED MATERIAL USING ABSORBENT MATERIAL.PLACE IN CLOSED METAL CONTAINER.AVOID CONTACT WITH SKIN OR EYES.

=====  
Handling and Storage =====

Handling and Storage Precautions:AVOID EYE,SKIN CONTACT.KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES

Supple

mental Safety and Health

PART B OF TWO PART EC-801(B4) SLNT KIT. STORE W/PART A & DO NOT  
SEPARATE. PT B IS R1 OXIDIZER IN BULK. OTHER P/N: EC-1622  
ACCELERATOR. QTY: UNKN. KEY1:D2.

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:>600F/315C

Vapor Pres: